Cumulative Index 1990

Volume 37

February	CONGENITAL HEART DISEASE, pages 1–240
April	FLUID AND ELECTROLYTE THERAPY, pages 241–512
June	PEDIATRIC VACCINATIONS: UPDATE 1990, pages 513–790
August	CHILD ABUSE, pages 791–1020
October	SPORTS MEDICINE, pages 1021–1228
December	CURRENT ISSUES IN PEDIATRIC AND ADOLESCENT ENDOCRINOLOGY, pages 1229–1559

Note: Page numbers of article titles are in **boldface** type.

Abdominal muscles, prehabilitation exercises for, in strength training, 1205
Abdominal trauma, child abuse and, 805
Absorption, of drugs, definition of, 476
Accident, definition of, 791–793
  safety neglect vs, 792
Acclimatization, role in heat illness, in adolescent athletes, 1094, 1101–1102
Acetazolamide, pediatric dosages of, 478
  therapy with, 477–479
Achilles tendinitis, diagnosis of, 1055
  with ballet training, 1220
Acid, definition of, 253
Acid-base balance, 253–255
  disorders of, **429–447**
    and renal urate excretion, 401
    assessment of, 445–446
    compensation for, 432
    diagnosis of, Henderson equation in, 434
    in acute renal failure, 345–346
    in dehydration, 270–271
    primary, 435–445
    therapy of, 445–446
  maintenance of, **241–256**
  physiology of, 430–435
  renal regulation of, major factors in, 254
Acid load, body response to, 254
Acidemia, correction of, in diabetic ketoacidosis, 318
Acidosis. See also *Metabolic acidosis*; *Respiratory acidosis*.
  uremic, in acute renal failure, 345
Acne, in androgen excess, 1339
Acne vulgaris, clinical scoring system for, 1340
ACTH, measurement of, in Cushing's disease diagnosis, 1318
ACTH-dependent states, Cushing's syndrome in, 1317–1319
ACTH-independent states, Cushing's syndrome in, 1319–1321
Action potential, 420
Acute renal failure. See *Renal failure*.
Addison's disease, and hypocalcemia, 1447
Adenomas, in Cushing's disease, 1317, 1319
Adipsia, and hypernatremia, 367
Adolescent(s), atypical sexual development in, clinical intervention in, 1407–1408
  body composition of, 1070, 1075–1076
  hyperthyroidism in, **1273–1295**
  plasma lipid and lipoprotein levels in, 1496–1498
  recommended dietary allowances for, 1146–1147
  recommended energy intake for, 1145
  strength training in, **1187–1210**
Adolescent athletes, anabolic steroid use in, **1111–1123**
  reasons for, 1118

Adolescent athletes *(Continued)*
body composition in, **1057–1083**
effect of carbohydrate-containing beverages on performance of, 1103
female, amenorrhea in, **1125–1141**
evaluation of, 1133–1134
nutritional intake in, 1144–1148
osteopenia in, **1125–1141**
heat illness in, **1085–1109**
iron deficiency in, **1153–1163**
male, nutritional intake in, 1148–1151
nutritional intake in, **1143–1152**
psychology of, **1021–1046**
screening for steroid use, 1119–1120
Adrenal gland, adenoma of, Cushing's syndrome with, 1317, 1319
cortical carcinoma of, Cushing's syndrome with, 1319, 1321
disorders of, and gynecomastia, 1396
hyperandrogenism in, 1340–1346
hyperplasia of, congenital, and hyperandrogenism, 1341, 1344
and sexual differentiation and development, 1412–1413
insufficiency of, and hypovolemic hyponatremia, 356
nodular dysplasia of, primary, Cushing's syndrome with, 1319–1322
tumors of, imaging of, in Cushing's syndrome diagnosis, 1320
Adrenalectomy, bilateral, for Cushing's syndrome, 1322
Adrenarche, androgen secretion in, 1335
exaggerated, hyperandrogenism in, 1342–1344
in normal puberty, 1256–1257
premature, hyperandrogenism in, 1340–1341
in precocious puberty, 1264
plasma steroid levels in, 1342
Age, and heat illness, in adolescent athletes, 1095
AIDS, vaccine against, 703
Air stirrup, for ankle injury prevention, 1181–1183
Albumin, in parenteral nutrition solutions, 455
Alcohol, abuse of, prevention of, 898
effects of, long-term, 882–883
perinatal, 882
postpartum exposure, 886–887
prenatal exposure, 882–886
Alcoholism, child abuse or neglect in, studies of, 893–894
Aldosterone, deficiency of, in renal tubular acidosis, 439
Alkalosis. See *Metabolic alkalosis*; *Respiratory alkalosis*.
Allopurinol, for uric acid nephropathy, 407
5 Alpha-reductase deficiency, and sexual differentiation and development, 1413–1414
Amantadine, for influenza, 681–683
Amenorrhea, in female athlete, **1125–1141**
medical evaluation of, 1132–1135
treatment of, 1135–1137
secondary, definition of, 1125–1126
risk factors for, 1126–1129
American children, routine immunization of, in 1990s, **531–548**
Amiloride, pediatric dosages of, 478
therapy with, 491–492
Amino acids, in oral electrolyte solutions, 304
transport of, sodium absorption and, 299
Aminoglutethimide, for Cushing's disease, 1323
Anabolic steroid use, in adolescent athletes, **1111–1123**. See also *Steroids*.
Anaphylaxis, with immunization, required reporting of, 724–725
Androgen(s), action of, mechanisms of, 1338
biosynthesis of, 1333–1334
in male, pathways of, 1391
blood levels and transport of, 1336–1338
excess of, cutaneous manifestations of, 1339–1340
exposure to, and precocious puberty, 1262
ovarian secretion of, during puberty, 1336
peripheral overproduction of, and hyperandrogenism, 1350–1351
physiology and pathophysiology of, 1333–1340
plasma concentrations of, normal ranges of, 1337
role in development of pilosebaceous unit, 1339
secretion of, regulation of, 1334–1336
Androgen insensitivity syndrome, and sexual differentiation and development, 1414
Androstenedione, follicular concentrations of, 1336
plasma concentrations of, normal ranges of, 1337, 1343
Anemia, cyanosis in, 1
factitious, in Munchausen syndrome by proxy, 916
Angiotensin II, and renal sodium absorption, 251
Anion gap, and metabolic acidosis, 435–441
Ankle, bracing of, prophylactic, **1175–1185**
effusion of, diagnosis of, 1050
injury of, eversion, 1178
inversion, 1177
mechanism of, 1175–1176
prophylaxis of, methods of, 1176–1184
with ballet training, 1215
ligaments of, 1177–1178

motion of, postinjury loss of, diagnosis of, 1055, 1056
stabilizers for, for injury prevention, 1179–1181
strapping of, for injury prevention, 1176–1181
support of, ideal, 1176
studies comparing, 1182
Anorchia, in primary testicular insufficiency, 1379
Anorexia nervosa, in ballet dancers, 1216, 1220–1221
Anovulation, causes of, 1347
Anthropometry, for body composition assessment, 1074–1075
Antiandrogens, for hyperandrogenism, 1354
Antibody, passively acquired, and immunologic response, 516–517
transplacental transfer of, 517
Antibody testing, in predicting insulin-dependent diabetes mellitus, 1479–1480
Anticipatory guidance, in child abuse prevention, 996
Antidiuretic hormone, in collecting duct, 469
role in body fluid regulation, 252
secretion of, in hypernatremia, 365
syndrome of inappropriate secretion of. See *SIADH*.
Antigen, physicochemical state of, in vaccination, 515–516
Antithyroid drugs, for Graves' disease, 1281–1282
Anxiety, interaction with fun, in youth sports, 1029
Aorta, aneurysm of, in Turner syndrome, 1432
ascending, hypoplasia of, fetal echocardiography of, 61
rupture of, sudden death from, 221
Aortic arch interruption, fetal echocardiography of, 60
Aortic stenosis, auscultation in, 109–110
fetal echocardiography of, 60
repair of, auscultatory follow-up of, 112
sudden death in, 222–223
Aortic valve, atresia of, with normal left ventricle, 148
balloon dilation of, 197–198
bicuspid, auscultation in, 109
in Turner syndrome, 1432
stenosis of, auscultation in, 108–109
incidence and prevalence of, 31–32
recurrence risk for, 34
Aortopulmonary collaterals, closure of, balloon dilation for, 202–203
Apnea, in Munchausen syndrome by proxy, 919
ApoB-100, defective, familial, and hypercholesterolemia, 1505
Apolipoprotein(s), A-1 variants of, 1511
laboratory findings in, 1513
C-II, deficiency of, 1508
deficiencies of, clinical findings in, 1512
laboratory findings in, 1513
nomenclature and properties of, 1493
structure and function of, 1492
Apophysitis, calcaneal, with ballet training, 1220
Arginine vasopressin, role in body fluid regulation, 252
Arrhythmia(s), fetal, echocardiography of, 62
following Fontan operation, for tricuspid atresia, 165
sudden death in, 225–226
with calcium administration, 378
Arterial switch procedure, for transposition of great arteries, complete, 174–176
with intact ventricular septum, 10–11
Arteriovenous malformations, closure of, balloon dilation for, 203
Arthralgia, rubella vaccine-induced, 658
Arthritis, vaccine-induced, 522, 658
Athletes, adolescent. See *Adolescent athletes*.
Athletic shoes, for ankle injury prevention, 1184
Athletic stress, components of, behavioral, 1024
cognitive, 1023–1024
physiological, 1024
situational, 1022–1023
consequences of, 1024–1027
dynamics of, 1022–1024
effects on performance, 1025–1026
effects on physical well-being, 1026–1027
stress management training for, in youth sports, 1035–1037
Atrial isolation procedures, 87–88
Atrial isomerism, recurrence risk for, 34
Atrial natriuretic peptide, in collecting duct, 470
Atrial septal defect, clinical diagnosis of, auscultation in, 103–104
incidence and prevalence of, 31–32
recurrence risk for, 34
Atrial switch procedure, for transposition of great arteries, complete, 173–174
with intact ventricular septum, 10–12
Atrial tachycardia, atrial isolation procedures for, 87–88
automatic, surgery for, 87
Atrioventricular accessory pathways, ablation of, 81–85
indications for, 84–85
results in, 84–85
strategy for, 81–82
surgical techniques in, 83–84
mapping of, 82–83

Atrioventricular block, complete, congenital, **69–78**
clinical concerns in, 73–74
clinical features of, 71–73
diagnostic techniques in, 74–77
electrocardiogram of, 70
etiology of, 70–71
heart rate patterns in, 72
history of, 69–70
incidence of, 71
treatment of, 75–77
congenital, sudden death in, 225
Atrioventricular canal defects, fetal echocardiography of, 52
Atrioventricular connections, fetal echocardiography of, 52–58
Atrioventricular node reentry, surgery for, 85–86
Atrioventricular septal defect, fetal echocardiography of, 53
incidence and prevalence of, 31–32
recurrence risk for, 34
Atrioventricular tachycardia, automatic, surgery for, 87
Attachment, parent-child, impaired, in substance abuse families, 892
Attorneys, conferences with, in child abuse court cases, 962–963
Auscultation, skill in, development and maintenance of, 93–94
Autoimmune abnormalities, and congenital complete atrioventricular block, 70–71
in Turner syndrome, 1433
Azathioprine, for newly diagnosed insulin-dependent diabetes mellitus, 1475

Back injury, in children, with strength training, 1196
Bacteria, and diarrhea, 300
Balding, in androgen excess, 1339
Ballet dancers, female, nutritional intake in, 1146–1147
Ballet training, in children, levels of, 1211–1217
advanced, 1212–1216
beginning, 1211–1212
intermediate, 1212
preprofessional, 1216
professional, 1216–1217
injury in, causes of, 1217–1221
positions in, 1213
Balloon angioplasty, laser, 206
Balloon dilation, **193–213**
catheters for, 193
future directions for, 205–206
of aortic valve, 197–198
of bioprosthetic valves, 200
of coarctation of aorta, 194–195
of intra-atrial baffles, 195
of membranous subaortic stenosis, 198–199
of pulmonary artery stenosis, 194
of pulmonary valve, 196–197
of pulmonary veins, 196
of rheumatic mitral stenosis, 199–200
procedures in, 202–204
valvular, 196–200
vascular, 193–196
Barbell arm curl exercise, muscle action in, 1189
Base, definition of, 253
in oral electrolyte solutions, 303
"Battered women", emergence of, 1004
BCG vaccine, for foreign travelers, 764
Belt buckle, marks from, 801
Beta cells, destruction of, Copenhagen model of, 1471
transplantation of, for insulin-dependent diabetes mellitus, 1477
Beverages, clear liquid, composition of, 304
Bicarbonate, for acid-base disorder, 446
in parenteral nutrition solutions, 455
in parenteral rehydration solutions, 275–277
need for, in acute renal failure, 346
Bicarbonate ions, balance of, in metabolic alkalosis, 441–443
concentration of, estimation of, Henderson equation for, 433
renal production of, 254
Biliary fluid drainage, and metabolic acidosis, 436
Bioavailability, of drugs, definition of, 476
Bioelectrical impedance analysis, for body composition assessment, 1073–1074
Biologics, surveillance of, vaccination status determination by, 718
Biomechanical factors, in child abuse, physician education in, 974
Bioprosthetic valves, balloon dilation of, 200
Blade atrial septostomy, transcatheter, 204–205
Blalock-Taussig procedure, for tetralogy of Fallot, 14
for tricuspid atresia, 159
Bleeding, in Munchausen syndrome by proxy, 916, 918
Blood flow patterns, regulation of, in hypoplastic left heart syndrome repair, 146
Blood oxygen content, calculation of, 3
Blood pool imaging, of congenital heart disease, 125–126
Blood product recipients, hepatitis B vaccination of, 595
Blood urea nitrogen, and renal function, 272
Blood volume, effective circulating, definition of, 242
estimation of, in hypovolemic shock, 289

Body building, strength training in, 1194
Body composition, **241–256**
assessment of, 1066–1075
anthropometry for, 1074–1075
bioelectrical impedance analysis for, 1073–1074
hydrodensitometry for, 1071–1072
hydrometry for, 1067–1071
importance of, 1057–1058
^{40}K spectometry for, 1072–1073
reproducibility data for, 1068
total body electrical conductivity for, 1073
during adolescence, 1070, 1075–1076
during puberty, changes in, 1259
in adolescent athletes, **1057–1083**
in male weight-control sports, 1150
units of measure in, 245–247
Body fat, percentage of, and secondary amenorrhea, 1129
in various sports, 1077–1078
Body fluids, osmolality of, regulation of, 252–253
osmolar disturbance of, in dehydration, 270
Body iron, functions and assessment of, 1154
Body water, compartments of, 243
changes with age, 257–258
distribution of, changes at birth, 324–326
movement of, 247–249
total, 241–242
as percentage of body weight, 243–244
measurement of, 1069
Body weight, ideal, 1058
in dyslipoproteinemia treatment, 1515–1516
low, with ballet training, 1214
of 12–year-olds, 1059
of 13–year-olds, 1060
of 14–year-olds, 1061
of 15–year-olds, 1062
of 16–year-olds, 1063
of 17–year-olds, 1064
of adults, 1065
Bone accumulation and loss, in female athletes, 1129–1130
Bone bruise, in child abuse syndrome, radiologic imaging of, 818
Bone density, effects of estrogen on, 1130–1131
effects of exercise on, 1130–1131
Bone disease, metabolic, in prematurity, 1460–1464. See also *Prematurity, metabolic bone disease in.*
Bone injury, in children, with strength training, 1196
Bone mineral density, measurement of, 1131–1132
Bordetella pertussis, components of, 550–552
Boys, androgen and estrogen biosysthesis in, pathways of, 1391
normal, growth curves for, 1369
normal pubertal development in, 1257–1259
peripheral precocious puberty in, 1262–1264
Brain, abnormalities of, prenatal cocaine exposure and, 883
dehydration of, in hyponatremia therapy, 352
hemorrhage in, in hypernatremia, 369
swelling of, in hyponatremia, 351–352
Brain death, in child abuse syndrome, 829
Breast(s), development of, in puberty, 1258
tumors of, and gynecomastia, 1397
Breastfeeding, and vaccines, 767–768
Bromocriptine, for Cushing's disease, 1323
Bruises, age of, determination of, 802–803
Buffer(s), definition of, 253
in acid-base balance, 430–431
Bulimia, in ballet dancers, 1216, 1220–1221
Bumetanide, pediatric dosages of, 478
therapy with, 485–487
BUN, and renal function, 272
Burns, hot water, in child neglect, epidemiologic algorithm for, 929
in child abuse, 807–808
knife, 806
marks from, 807
microwave oven, intentional, in child abuse, 906–907
pattern of, in child abuse, 906
time required to cause, 807
Butterfly stretch, in ballet training, 1217

Calcitonin, and calcium homeostasis, 1444
for hypercalcemia, 1451
Calcitriol, for hypocalcemia, 1449
renal formation of, 1444
Calcium, accumulation in fetus, in third trimester, 1461
control of, disorders of, 1445–1452
deficiency of, in prematurity, biochemical abnormalities in, 1463
homeostasis of, disorders of, **1441–1465**
role of parathyroid glands in, 1442
in parenteral nutrition solutions, 454
in proximal tubule, 467
intake of, increased, for amenorrhea in female athlete, 1135
ionized, maintenance of, 1441
pediatric perspective on, **373–389**
neonatal, 375–377
physiology of, 1441–1445
plasma, distribution of, 374

Calcium *(Continued)*
reabsorption of, in distal tubule, 468
total, correlation with albumin concentration, 374
Calcium gluconate, for hyperkalemia, 343
for hypocalcemia, 1448
Calcium-phosphate disorders, in acute renal failure, 344–345
Calf weakness, diagnosis of, 1055, 1056
Calories, in starvation, 456
intake of, in acute renal failure, recommendations for, 347
increase in, for amenorrhea in female athlete, 1135
need for, in parenteral nutrition, 262, 452–453
Cancer, in Turner syndrome, 1434
Capillary circulation, and water and solute movement, 248
Carbimazole, for Graves' disease, 1281–1282
Carbohydrate(s), in oral electrolyte solutions, 303–304
sources of, 1149
Carbohydrate-containing beverages, for adolescent athletes, effect on performance, 1103
Carbohydrate intolerance, in predicting insulin-dependent diabetes mellitus, 1480
Carbonic anhydrase, deficiency of, and metabolic acidosis, 438
in renal physiology, 474
Cardiac catheterization, of tetralogy of Fallot, 184
of tricuspid atresia, 157–158, 160
therapeutic, auscultatory follow-up of, 112
Cardiac function, echocardiography of, 122
ionized calcium and, 377–378
Cardiac imaging, definition of, 115
modalities of, 115
Cardiac output, increased, auscultation of, 95–96
Cardiology, nuclear, of congenital heart disease, 125–128
Cardiology patients, pediatric, sudden death in, 221–226
Cardiomegaly, following tetralogy of Fallot repair, 190
Cardiomyopathy, hypertrophic, sudden death from, 218–220
idiopathic, nuclear magnetic resonance imaging of, 132
Cardiovascular abnormalities, in children, with strength training, 1197–1198
in Turner syndrome, 1431–1433
sudden death from, 219
Cardiovascular response, to hyponatremia, 352–353
Cardiovascular shock, cyanosis in, 22
Cardiovascular support, in heat stroke, 1098
Carter effect, in inheritance patterns, 36
Catecholamines, and potassium regulation, 421
Cavopulmonary anastomosis, for tricuspid atresia, 159
Central nervous system, depression of, in Munchausen syndrome by proxy, 918
disorders of, and SIADH, 357–358
in hypernatremia, 368–369
in hyponatremia, 351–352
tumors of, and precocious puberty, 1261–1262
Cerebral edema, in child abuse syndrome, 830, 832, 914
in diabetic ketoacidosis, 317
in hyperosmolar hyperglycemic nonketotic coma, 319
in hyponatremia, 351–352
with hypernatremia therapy, 370
Cerebral injuries, in child abuse syndrome, 829–831
Cerebral ischemia, in child abuse syndrome, 832
Chancroid, in sexually abused children, screening for, 855
Cheek, bruises of, 794–795
Chemotherapy, parenteral nutrition in, 459
Chest disorders, and SIADH, 358
Chickenpox. See *Varicella*.
Child, interviewing of, in child abuse assessment, 948–949
Child abuse. See also *Child neglect*; *Physical abuse*; *Sexual abuse*.
allegations of, in divorce and custody conflicts, 946
assessment of, context of, 943–945
corroborative data in, 951
diagnostic, principles of, 945–951
documentation in, 951–952
ethical considerations in, 951–953
multiple victimization in, 952–953
pediatric interview in, **943–954**
children's hospital experience with, 797–798
court testimony in, case data review and completion for, 962–963
physician education in, 976
preparation for, **955–970**
court trials of, definitional issues in, 967–968
definition of, 791–793
diagnosis of, screening vs, 993
epidemic of, 796–797
expertise in, 958–961
injuries in, chart for recording, 809
conditions mimicking, 808
factors contributing to, 804
internal, 805–806
medical evaluation in, 800–805
pediatrician's role in, 810, **1003–1011**
future, 1007–1010

past, 1003–1005
present, 1006–1007
physician education in, **971–988**
child abuse experts, 984
developmental history, 974
evaluation of, 985
identification of, 973–975
medical students, 981–982
methods of, 978–980
nonpediatric physicians, 984
overview of, 971–973
pediatricians, 983
residents, 982–983
training in, levels of, 980–985
options for, 979
scope of, 973–977
prevention of, cost-effectiveness in, 991
intervention for, 995–996
effectiveness of, 994
helpful vs hurtful, 992
levels of, 990
pediatrician's role in, **989–1002**
physician education in, 976–977
physician reporting in, 997
primary, 994–997
resource allocation for, 991
screening for, 992–993
secondary, 994–997
stigma of help in, 991–992
suggestions for practice, 994–1000
tertiary, 997–998
radiographic skeletal survey for, 816
recording of, 808–810
religious and cultural practices vs, 794–795
reporting of, 793–794, 808–810
obligations in, 945
process in, physician education in, 975–976
residents education in, 982–983
risk of, children at, 796–798
families at, programs for, 998
ritualistic, 795–796
screening for, diagnosis vs, 993
substance abuse and, **881–904**
syndrome of, inflicted injury in, radiologic imaging of, **815–837**
diagnostic specificity in, 824–825
treatment of, physician education in, 976–977
unusual manifestations of, **905–921**
Child advocacy, in child abuse prevention, 998–1000
Child dancer, medical considerations in, **1211–1222**
Child development, child abuse and, 806–807
Child maltreatment. See *Child abuse.*
Child neglect, **923–942**
definition of, 924–927
epidemiologic algorithm of, 928–936
expertise in, 960–961
law and, 931–933
management of, future plans for, 934–936
manifestations in, 930
pediatrician's role in, **1003–1011**
future, 1007–1010
past, 1003–1005
present, 1006–1007
prevention of, 929–931
responsibility in, 930–931
rights in, 930–931
semantics of, clarification of, 927–928
social selection and, 933–934
Child protective services. See also *Family services.*
responsibilities and caseload of, 926
stigma of, 998
Childhood vaccines. See *Vaccine(s).*
Children, causes of death in, 737
hospitalization of, reasons for, 798
hyperthyroidism in, **1273–1295**
hypogonadism in, evaluation of, 1368
hypothalamic-pituitary-gonadal axis development and maturation in, 1364–1365
plasma lipid and lipoprotein levels in, 1496–1498
strength training in, **1187–1210**
sudden death in, **215–231**
thermoregulation in, 1088–1089
uric acid in, 394
fractional excretion of, 399
Chlamydial infection, in sexually abused children, screening for, 854
treatment regimens for, 852
Chloride, brain loss of, in hyponatremia, 352
distal tubule reabsorption of, 468
intestinal absorption and secretion of, 299
urinary losses of, 262
Chlorothiazide, pediatric dosages of, 478
therapy with, 487
Cholera, vaccine against, for foreign travelers, 760
Cholesterol, guidelines for interpreting, 1500
in hyperapobetalipoproteinemia, 1507
structure and function of, 1490
Cholesterol ester transfer protein, defects in, 1510
Cholestyramine, for dyslipoproteinemia, 1516–1518
Chorthalidone, therapy with, 487–488
Chromosomal defects, in congenital heart disease, 34–35
Chronic diseases, and gynecomastia, 1394, 1397–1398
Cia Gao, skin marks from, 794, 796

Ciamexone, for newly diagnosed insulin-dependent diabetes mellitus, 1475
Cineangiography, of congenital heart disease, 123–125
Circulating volume, in acute renal failure, 338
Circulation, auscultation of, areas to examine, 96
Circulatory access, in hypovolemic shock, 290
Cirrhosis, furosemide pharmacokinetics with, 480
Citrated blood, and hypocalcemia, 379
Clearance, of drugs, definition of, 476
Clofibrate, for dyslipoproteinemia, 1517
Clothing, role in heat illness, in adolescent athletes, 1094, 1101
Coach, selection of, for strength training, 1202
Coach Effectiveness Training, 1032
Coaching guidelines, in youth sports, 1038–1039
Coarctation of aorta, auscultation in, 110
  balloon dilation of, 194–195
  in Turner syndrome, 1431–1432
  incidence and prevalence of, 31–32
  recurrence risk for, 34
Coathanger, marks from, 802
Cocaine, addiction to, child abuse or neglect in, studies of, 893
  effects of, long-term, 883–884
    perinatal, 883
    postpartum exposure, 886–887
  intoxication with, in child abuse, 910–912
Cognitive restructuring, in stress management training, 1036
Cold chain, vaccine storage and distribution system of, 747
Colestipol, for dyslipoproteinemia, 1516
Collecting duct, structure and function of, 469–470
Colposcope, for childhood sexual abuse examination, **863–880**
  photographs through, 869–870
  with videocamera, 864–865
Communication, in learning process, 979
  professional, in child abuse assessment, 953
Compensation, in acid-base balance, 431
  in child abuse assessment, 951
  in court testimony, 964–965
Competitive events, in strength training, 1193–1194
Computed tomography, ultrafast, of congenital heart disease, 128
Concentration gradient, and solute movement, 247
Conditioning, injury prevention by, strength training for, 1200
  role in heat illness, in adolescent athletes, 1094, 1101
Conferences, in child abuse assessment, 952, 953
Congenital anomalies, genital, colposcopic examination of, 875–877
Congenital complete atrioventricular block, **69–78**. See also *Atrioventricular block, complete, congenital.*
Congenital heart disease, auscultation in, general concepts in, 93–95
    specific uses of, 99–100
    value and limitations of, **93–113**
  cyanotic, physiologic consequences of, 3
  definition of, 25
  digital subtraction angiography of, 128–129
  examination for, patient selection for, 46
  fetal echocardiographic diagnosis of, **45–67**
  imaging of, **115–136**
  incidence of, **25–43**
    definition of, 26
    determination of, 26–27
    early studies of, 28
    in liveborn infants, 29
    recent studies of, 28–30
  inheritance of, **25–43**
  initial detection of, auscultation in, 99–100
  nuclear cardiology of, 125–128
  polygenic inheritance in, 36–39
  positron emission tomography of, 131–133
  postoperative, sudden death in, 226–228
  prevalence of, definition of, 26
  recurrence of, types of, 39
  risk to future generations, 33–39
  single-gene defects in, 35–36
  ultrafast computed tomography of, 128
Congenital rubella syndrome, incidence of, 721
  in United States, 656
Congestive heart failure, furosemide pharmacokinetics with, 480
  in congenital complete atrioventricular block, 72
  in hypoplastic left heart syndrome, 138
  in tricuspid atresia, 151–152
  in truncus arteriosus, 16–17
Contrasexual development, in precocious puberty, 1265
Contusions, age of, determination of, 803
Cooling, in heat stroke, 1098
Copenhagen model, of beta cell destruction, 1471
Coping response, integrated, in stress management training, 1036
Cord blood, uric acid in, 392
Coronary artery(ies), anomalies of, sudden death from, 220–221

right, echocardiography of, 120
Corporal punishment, societal approval of, 793
Correction, in acid-base balance, 431
Cortisol, fetal production of, increased, 1304
plasma concentrations of, normal ranges of, 1337, 1343
resistance to, and hyperandrogenism, 1345
suppression of, in Cushing's syndrome, 1318
Counseling, in Turner syndrome, 1434–1435
Court testimony, in child abuse cases, administrative considerations in, 964–965
clarity of presentation in, 966–967
decision to undertake, 961–962
notes for use during, 963–964
physician education in, 976
preparation for, 961–964
qualification process in, 965
rebuttal testimony in, 968
review of, 968
Cranial trauma, in child abuse syndrome, radiologic imaging of, 825–831
Craniofacies, in Turner syndrome, 1431
Creatinine clearance, relation to uric acid excretion, 397
Criminal activity, in substance abuse, and child abuse, 888–889
Crisis centers, for child abuse and neglect, 1004
Cross-country runners, female, nutritional intake in, 1146
Cryporchidism, in primary testicular insufficiency, 1379
Crystalloid solutions, for hypovolemic shock, 290
Cultural practices, child abuse vs, 794
Cushing's disease, definition of, 1313
Cushing's syndrome(s), **1313–1332**
and hyperandrogenism, 1344
clinical findings in, 1314
conditions causing, 1317
cyclical, 1324
definition of, 1313
development of, 1315
diagnosis of, 1314–1317
algorithm for, 1330
differential, 1317–1322
laboratory studies in, 1332
growth and weight changes in, 1316
therapy for, 1322–1324
medical, 1323–1324
radiotherapy, 1323
surgical, 1322–1323
unusual forms of, 1324–1325
with other syndromes, 1324–1325
Custody and visitation conflicts, child abuse allegations in, 944
Cutaneous bleeding, in Munchausen syndrome by proxy, 917
"Cutting weight", in male weight-control sports, 1148
Cyanosis, definition of, 1
in newborn, evaluation of, **1–23**. See also *Heart disease*.
in tricuspid atresia, 151
Cyclic AMP, formation of, role of parathyroid hormone in, 1443
Cyclosporine, for newly diagnosed insulin-dependent diabetes mellitus, 1475
Cyproheptadine, for Cushing's disease, 1323
Cyproterone acetate, for hyperandrogenism, 1354
Cystic fibrosis, furosemide pharmacokinetics with, 480
in Munchausen syndrome by proxy, 916
uric acid excretion in, 397
Cytomegalovirus, vaccine against, 701–702

Dancer, child, medical considerations in, **1211–1222**
Dehydration, and heat illness, in adolescent athletes, 1091–1093
diarrheal, in infants, case studies of, 281–285
fluid replacement in, choice of solution for, 273–277
components of, 278
length of, 280–281
rate of, 273, 277
success of, 280
volume of, 277–280
management of, **265–286**
preterm, fluid therapy in, 330
fluid and electrolyte deficits in, 270
hypernatremic, clinical signs of, 368
in child abuse, 907, 910
hypovolemia in, fluid resuscitation of, 291–292
oral therapy for, advantages and disadvantages of, 305
severity of, estimation of, 269
Densitometry, for body composition assessment, 1071–1072
11–Deoxycortisol, plasma concentrations of, normal ranges of, 1337, 1343
Depositions, in child abuse court cases, 963
Detainment status, in court testimony, 964
Detergents, and diarrhea, 300
Developing countries, disease burden in, 752
Developmental history, in child abuse, physician education in, 974
Dexamethasone suppresion test, algorithm for, 1331

Dexamethasone suppression test, in hyperandrogenism diagnosis, 1351–1352
Dextrocardia, echocardiography of, 118–119
DHA, plasma concentrations of, normal ranges of, 1337, 1343
DHAS, plasma, normal range of, relation to age and puberty, 1335
Diabetes insipidus, causes of, 367
Diabetes mellitus, insulin-dependent, cure and prevention of, **1467–1487**
  epidemiology of, 1468–1470
  etiology of, 1468–1470
    animal models of, 1471–1474
    comprehensive hypothesis of, 1472–1473
  newly diagnosed, pharmacologic intervention trials in, 1474–1476
  pathogenic events in, 1470–1471
  prediction of, 1478–1481
  prevention of, 1481–1482
  maternal, and neonatal hypocalcemia, 376
Diabetic ketoacidosis, fluid therapy in, **313–321**
Dialysis, in acute renal failure, recommendations for, 347
Dialysis dysequilibrium syndrome, 340
Diaphyseal fractures, in child abuse syndrome, radiologic imaging of, 817
Diarrhea, and metabolic acidosis, 436
  dehydration with. See *Dehydration*.
  in infant, refeeding in, 308
  in Munchausen syndrome by proxy, 919
  pathophysiology of, 300–301
  secretory vs osmotic, 301
  therapy for, oral rehydration, **295–311**
  water losses in, 302
Diastasis ani, congenital, 875, 876
Diastolic murmurs, in atrial septal defect, 104
Diet, and iron deficiency in athletes, 1158–1159
  and secondary amenorrhea, 1127–1128
  for dyslipoproteinemia, 1515–1516
Dietary factors, role in insulin-dependent diabetes mellitus, 1469
DiGeorge syndrome, and hypocalcemia, 1447
  and neonatal hypocalcemia, 375
Digestive fluid drainage, and metabolic acidosis, 436
Digital subtraction angiography, of congenital heart disease, 128–129
Diphtheria, EPI targeting of, 743
  vaccine against, 538–540
    distribution of, 720
Discipline, in substance abuse families, child abuse and, 890
  management of, in child abuse prevention, 996
Distal tubule, potassium ion excretion in, 421
  structure and function of, 468–469
Distribution, of drugs, definition of, 476
Diuresis, osmotic, mechanism of, 473
Diuretics, abuse of, in ballet dancers, 1216
  and heat illness, in adolescent athletes, 1093–1094
  and hypovolemic hyponatremia, 356
  classification of, 472
  dosages of, 478
  loop, effects of, 474
  pharmacology of, **463–504**
  potassium-sparing, effects of, 475
  therapy with, **463–504**
  thiazide, effects of, 474
Documentation, in child abuse assessment, 951–952
Doll interview, in child abuse assessment, 949
  of sexually abused child, 842
Donor heart, preparation of, for hypoplastic left heart syndrome, 142
Dopamine, increased urinary output with, 473
Doppler echocardiography, 122–124
Double outlet right ventricle, incidence and prevalence of, 31–32
  recurrence risk for, 34
Down's syndrome, congenital heart disease in, 34–35
Drug(s), abuse of, in children, with strength training, 1198
    prevention of, 898
    with ballet training, 1220–1221
  and heat illness, in adolescent athletes, 1095
  and hypovolemic hyponatremia, 356
  and pathologic gynecomastia, 1393–1395
  and SIADH, 358
  effects of, postpartum exposure, 886–887
    prenatal exposure, 882–886
  in dyslipoproteinemia treatment, 1516–1518
  side effects of, and child abuse, 890–891
  testing for, in screening for steroid use, 1120
  toxic overdose of, and metabolic acidosis, 440
DTP vaccine, immunization schedule modifications for international travel, 766
  injury suits filed against, 777
Duchenne muscular dystrophy, congenital heart disease in, 35
Duodenum, intramural hematoma of, in child abuse syndrome, 833, 834
Dwarfism, growth hormone treatment of, 1249
Dysbetalipoprotenemia, 1509–1510
Dyslipoproteinemia, 1498–1501

classification of, 1500–1501
diet for, 1515–1516
drug therapy for, 1516–1518
due to deficiencies, clinical findings in, 1512
laboratory findings in, 1513
familial, diagnosis and management of, **1489–1523**
metabolic disorders of, 1501–1510
metabolic classification of, 1502
metabolic disorders in, treatment of, 1515–1518
screening for, 1498–1500
type V, 1509
Dysrhythmia(s), ablation of, catheter technique of, 90
in child less than 1 year, 85
in child more than 1 year, 86
nonpharmacologic therapy of, 80–81
surgical treatment of, **79–92**

Eating disorders, with ballet training, 1220–1221
Ebstein's malformation, cyanosis in, 21
fetal echocardiography of, 54–55
recurrence risk for, 34
ECF. See *Extracellular fluid.*
Echocardiography, 118–123
Doppler, 122–124
fetal. See *Fetal echocardiography.*
in congenital complete atrioventricular block, 74–75
M-mode, 118
of tetralogy of Fallot, 183
of tricuspid atresia, 156–157
parasternal views in, 119–120
position in, 118–119
subcostal view in, 120–121
two-dimensional, 118
Eisenmenger complex, systolic murmur in, 103
Elbow, disorders of, diagnosis of, 1052
fracture-displacement of, in child abuse syndrome, 820
Electrical cord, lash marks from, 801
Electrical disturbances, with potassium disorders, 420
Electrocardiography, of tetralogy of Fallot, 182–183
of tricuspid atresia, 155
Electrolyte(s), balance of, in preterm infant, monitoring of, 328
concentrations of, normal, **241–256**
deficits of, in dehydration, 270
in hyperosmolar hyperglycemic nonketotic coma, 314–315
correction of, 318–319
disturbances of, in diabetic ketoacidosis, pathophysiology of, 314–315
in heat illness, in adolescent athletes, 1089–1091
in refeeding, 457–458
in starvation, 457
in body fluid compartments, 244
intestinal, transport of, physiology of, 296–299
maintenance of, problems in, 263
oral solutions of, composition of, 301–305
use of, 305–308
reabsorption of, in distal tubule, 468
regulation of, in acute renal failure, 339–345
replacement of, for diabetic ketoacidosis, 316
requirements for, in parenteral nutrition, 452–453
in preterm infant, 326–330
maintenance, 259, 261–262
therapy with, **449–461**
Electromagnetic spectrum, wavelengths of, 117
Electromagnetic wave, properties of, 116
Electrophysiologic testing, in congenital complete atrioventricular block, 75
Elimination, of drugs, definition of, 476
Ellis-van Crevald syndrome, congenital heart disease in, 35
Emergency physicians, as physical abuse experts, 959
Emotional abuse, expertise in, 961
Encephalitis, Japanese, EPI targeting of, 744
vaccine against, for foreign travelers, 762
tick-borne, vaccine against, for foreign travelers, 764
Encephalomalacia, in child abuse syndrome, 832
Encephalomyelitis, vaccine-induced, 523
Encephalopathy, with immunization, required reporting of, 724–725
with pertussis vaccines, 555–556
Endocrine tumors, and gynecomastia, 1396–1397
Endocrinopathies, and gynecomastia, 1395–1396
Endurance, in exercise, iron stores and, 1155
Engerix-B, for hepatitis B, development of, 591–592
Enteral nutrition, delivery of, 450
Environmental conditions, and heat illness prevention, in adolescent athletes, 1099–1100
Environmental toxins, role in insulin-dependent diabetes mellitus, 1470
EPI, contraindications to, 744

EPI *(Continued)*
establishment of, 738
immunization schedules in, 743–744
national immunization days in, 746–747
new vaccines for, 749–751
targets of, 739–743
regional, 744–746
Epigastrium, blunt trauma to, in child abuse, 913–914
Epistaxis, in Munchausen syndrome by proxy, 917
Equivalents, definition of, 246
Estradiol, follicular concentrations of, 1336
Estrogen, biosysthesis of, in male, pathways of, 1391
effects on bone density, 1130–1131
replacement of, in Turner syndrome, 1427
Estrogen-progestin contraceptive, for hyperandrogenism, 1353
Ethacrynic acid, therapy with, 479
Ethics, in child abuse court testimony, 956–957
Ethylene glycol ingestion, and metabolic acidosis, 440
Exercise, effects on bone density, 1130–1131
Exercise endurance, iron stores and, 1155
Exercise performance, nonanemic iron deficiency and, 1157–1158
Exercise testing, in congenital complete atrioventricular block, 75
Expanded Programme on Immunization. See *EPI*.
Expert testimony, medical, in child abuse cases, 955–958
Expert witness(es), conferences between, in child abuse court cases, 963
cross examination of, 967
direct examination of, 965–967
qualification of, 965
Extracardiac communications, transcatheter closure of, 200–202
Extracellular fluid, 242–243
as percentage of body weight, 243–244
volume of, and renal urate excretion, 400–401
contraction of, and metabolic alkalosis, 443
in hyponatremia, 355
maintenance of, sodium balance and, 249–251
Extracerebral fluid collections, in child abuse syndrome, 828–829
Extrauterine life, thyroid maturation to, 1304–1306
transition to, body water changes in, 324–326
Extremities, trauma to, in child abuse syndrome, radiologic imaging of, 817–821
Facial injury, in child abuse syndrome, 828
Failure to thrive, classification of, 937–938
definition of, 937
etiology of, 938–939
in child neglect, epidemiologic algorithm of, 936–940
preventive interventions for, 939
Familial dyslipoproteinemia, diagnosis and management of, **1489–1523**
Familial gynecomastia, 1398
Family advocacy, pediatrician's role in, in child abuse prevention, 999
Family history, for amenorrhea, in female athlete, 1133
Family services, in child abuse, interventional, physician education in, 976–977
preventive, stigma of, 991–992
protective, future directions for, 1007–1010
Family violence, Academy of Pediatrics handling of, 1007
criminalization of, 944
in child abuse assessment, 947
Fat, in parenteral nutrition solutions, 455
restriction of, in dyslipoproteinemia treatment, 1516
Father, interviewing of, in child abuse assessment, 950–951
Fatigue, iron deficiency and, 1154
Fatty acids, structure and function of, 1490–1491
Fear of failure, in young athletes, 1029
Feces, sodium concentration in, in diarrhea, 302
Feedback, in learning process, 978
Ferritin levels, and body iron stores, 1154
Fertility, in Turner syndrome, 1428
Fetal alcohol syndrome, 882
Fetal echocardiography, 47
abnormalities characterizable with, physiologic, 60–64
structural, 52–60
congenital defects diagnosed by, severity of, 49–52
equipment for, 46
examination by, 47–49
four-chamber view in, 48
in diagnosis of complete transposition of great arteries, 171–173
of pericardial effusion, 51
of pleural effusion, 51
parasternal long-axis view in, 49
performance of, 45–46
right ventricular inflow view in, 50
short-axis view in, 50
Fetus, calcium and phosphorus accumulation in, in third trimester, 1461
hypothalamic-pituitary-gonadal axis development and maturation in, 1360–1364

thyroid maturation in, 1304–1306
Fever, in Munchausen syndrome by proxy, 919
Fish eye disease, clinical findings in, 1512
laboratory findings in, 1513
FK-506, in pancreas transplantation, for insulin-dependent diabetes mellitus, 1477
Fluid(s), deficits in, in dehydration, 270
hypotonic, loss of, in hypernatremia, 367–368
loss of, in diabetic ketoacidosis, pathophysiology of, 313–315
maintenance, problems in, 263
regulation of, in acute renal failure, 337–339
replacement of, in adolescent athletes, beverage choice for, 1102–1104
requirements for, in acute renal failure, **337–350**
resuscitation with, in acute hypovolemic hypoperfusion, **287–294**
retention of, following Fontan operation for tricuspid atresia, 164
Fluid compartments, electrolyte composition of, 244
Fluid therapy, **449–461**
in newborn, special needs in, **323–336**
in preterm infant, with other illness, 330–331
Fluoroscopy, of congenital heart disease, 123–125
Flutamide, for hyperandrogenism, 1354
Follicle-stimulating hormone, in testicular insufficiency, 1370
Follicular atresia, insulin resistance and, 1349
Fontan operation, fluid retention following, 164
for hypoplastic left heart syndrome, 145–147
for tricuspid atresia, 19, 161–166
postoperative management in, 163–164
postoperative results in, 164–166
selection criteria for, 162
late mortality in, causes of, 165
outcome of, 166
Foot, overuse injuries of, with ballet training, 1215
Football, prophylactic knee braces in, **1165–1173**
studies of, 1166–1170
experimental vs control group, 1166, 1168
longitudinal vs simultaneous control, 1166
Foreign body retrieval, transcatheter, 205
Foreign travel. See *International travel.*
Forensic evidence, of sexual abuse, 848–849
Foster care, for children of substance abuse families, 899
Fractures, child abuse and, 805
Fun, interaction with anxiety, in youth sports, 1029
Furosemide, 479–485
adverse effects of, 483–484
bumetanide vs, 486–487
for hypercalcemia, 1451
glomerular filtration of, 482
pediatric dosages of, 478
pharmacokinetics of, 480–481
plasma elimination half-life of, 482

Gastric emptying, in adolescent athletes, beverage choice for, 1102–1103
Gastric perforation, in child abuse syndrome, 835
Gender, and iron deficiency in athletes, 1159
Genetic testing, in predicting insulin-dependent diabetes mellitus, 1479
Genital herpes, in sexually abused children, screening for, 854
Genital warts, in sexually abused children, screening for, 854
Genitalia, congenital anomalies of, colposcopic examination of, 875–877
development of, in puberty, 1258, 1366
female, normal anatomy of, 845
hormonal influences on, 868–869
Genitourinary tract abnormalities, in Turner syndrome, 1428
Geometric injuries, in child abuse, 803
Gianturco steel coils, for closure of extracardiac communications, 201
Gibbs-Donnan equilibrium, 242
Girls, normal pubertal development in, 1257–1258
peripheral precocious puberty in, 1264
peripubertal, hyperandrogenism in, **1333–1358**
Glenn shunt, for hypoplastic left heart syndrome, 147
for tricuspid atresia, 159
Glomerular filtration rate, in neonate, 471
Glucocorticoids, and potassium regulation, 421
deficiency of, and hypotonic hyponatremia, 359
for Cushing's disease, 1323
for hyperandrogenism, 1353
for hypercalcemia, 1451
Glucose, for hyperkalemia, 343
reabsorption of, in proximal tubule, 465–466
Glucose-6-phosphate deficiency, and hyperuricemia, 405
Glucose polymer solutions, for fluid replacement, in adolescent athletes, 1103

Glucose tolerance test, in predicting insulin-dependent diabetes mellitus, 1480
Gluteal muscle, calcified hematoma of, in child abuse syndrome, 826
GnRH agonists, for central precocious puberty, 1267
Gonadal anomalies, and sexual differentiation and development, 1409–1412
Gonadal failure, in Turner syndrome, 1426–1427
Gonadarche, in normal puberty, 1256
Gonadotropins, abnormal, in hypogonadism, 1371
  circulation levels of, throughout life, 1363
  for testicular insufficiency, response to treatment with, 1382
  pituitary, deficiency of, and pubertal delay, 1377
  suppression of, for hyperandrogenism, 1354
Gonococcal infection, treatment regimens for, 852
Gonorrhea, in sexually abused children, screening for, 854
Gout, with hyperuricemia, 403–404
Granuloma inguinale, in sexually abused children, screening for, 855
Graves' disease, and hyperthyroidism, 1277–1284
  clinical features of, 1278–1279
  etiology of, 1277–1278
  eye signs and symptoms of, 1279
  incidence of, 1278
  laboratory evaluation of, 1279–1280
  neonatal, and hyperthyroidism, 1284–1285
  surgery for, 1283–1284
  treatment of, 1280–1284
Growth, attenuation of, definition of, 1232
    hypothetical growth curves in, 1231
    with chronic renal failure, growth hormone treatment of, 1248–1249
  delayed pattern of, definition of, 1230–1231
    hypothetical growth curves in, 1231
  effects of ballet training on, 1220
  failure of, in Turner syndrome, 1429
    growth hormone therapy for, 1243–1248
  normal, hypothetical growth curves in, 1231
Growth hormone, 1233–1234
  deficiency of, 1234–1235
    growth hormone treatment of, 1236–1237
  for isolated short stature, 1239–1243
  for Turner syndrome, 1243–1248
  secretory capacity of, in isolated short stature, 1237–1239
    tests of, 1235
Growth spurt, pubertal, 1259
Guillain-Barre syndrome, vaccine-induced, 523
Gymnasts, female, nutritional intake in, 1144–1146
Gynecomastia, adolescent, differential diagnosis and management of, **1389–1404**
    in precocious puberty, 1264–1265
  clinical evaluation of, 1398–1400
  diagnostic approach to, 1398–1400
  diseases causing, 1394
  drugs causing, 1394
  endocrinopathies and, 1395–1396
  familial, 1398–1399
  laboratory tests in, 1400
  pathologic, 1393–1398
  pubertal, 1390–1393
    clinical characteristics of, 1392–1393
    etiology of, 1390–1392
    incidence of, 1390
    pathologic vs, features distinguishing, 1400
  treatment of, 1400–1401
  tumors and, 1396–1397

Haemophilus influenzae, immunization against, 544–545
Haemophilus influenzae type b, immunity to, 567–569
  vaccines against, **567–583**
    conjugate, 571–575
    controversies in, 576–577
    current recommendations for, 577–578
    EPI distribution of, 749
    HbOC, 574
    immunization schedule modifications for international travel, 766–767
    licensure for infants, 577
    polysaccharide, 569–571
    postimmunization disease risk in, 576–577
    safety of, 576
Hair, abnormalities of, in Turner syndrome, 1433
Hamstrings, tight, diagnosis of, 1055
Hand, fractures of, in child abuse syndrome, 827
  injury of, signs of, 1053
HCO_3^-. See *Bicarbonate ions*.
Head injury, in child abuse syndrome, radiologic imaging of, 825–831
Health care, routine, in child abuse prevention, 994
Heart. See also under *Cardiac*.
  anatomy of, echocardiography of, 119–122
    relationships in, 5
  auscultation of, areas to examine, 96
    favorable conditions for, 94–95

screening examination in, 99
skill in, development and maintenance of, 93–94
steps in, 95–96
malformations of, congenital, 9–22
surgery of, auscultatory follow-up of, 112
transplantation of, for hypoplastic left heart syndrome, 141–144
tumors of, fetal echocardiography of, 60–61
Heart block, complete, congenital, fetal echocardiography of, 62–63
Heart disease, cyanotic, in newborn, **1–23**
chest radiography in, 8–9
diagnosis of, 7–9
electrocardiogram in, 9
history in, 7
physical examination in, 7–8
Heart murmur(s), auscultatory follow-up in, 110–112
difficult to hear, bringing out, 98
effect of respiration on, 96–97
intensity of, changes in, 110–112
maneuvers to change, 97–98
Heat acclimatization, physiologic effects of, 1087–1088
Heat cramps, in adolescent athletes, 1096
Heat disorders, in adolescent athletes, 1096–1098
Heat exhaustion, in adolescent athletes, 1096–1097
Heat exposure, effect on electrolytes in sweat, 1090
Heat illness, in adolescent athletes, **1085–1100**
prevention of, 1098–1102
risk factors for, 1091–1096
signs of, 1096
Heat index, calculation of, 1100
Heat loss, mechanisms of, 1086
Heat stress monitors, for heat illness prevention, 1099
Heat stroke, in adolescent athletes, 1095, 1097–1098
Hematuria, in Munchausen syndrome by proxy, 916, 917
Hemodialysis, and hypocalcemia, 380
hepatitis B vaccination in, 595
Hemodynamics, in neonatal period, changes in, 100
Hemorrhage, and hypovolemic shock, 288–290
Henderson equation, clinical use of, 431–435
Henderson-Hasselbalch equation, 271
Hepatic failure, parenteral nutrition in, 459
Hepatic trauma, intramural hematoma in, in child abuse syndrome, 833
Hepatitis A, vaccine against, 702–703
Hepatitis B, chronic infection with, 585–586
reduced incidence with vaccination, 594
clinical features of, 585–588
epidemiologic features of, 585–588
in sexually abused children, screening for, 855
in United States, age and sex distribution of, 587
annual occurrence and outcomes of, 586
risk factors associated with, 588
prevalence of, 586
vaccination against, **585–601**, 595
clinical studies of, in infants, children, and adolescents, 592–594
development of, 588–592
EPI distribution of, 750
for foreign travelers, 760–761
future directions in, 597–598
post-exposure, 596–597
pre-exposure, 595–596
target population for, 594–597
Heptavax-B, for hepatitis B, development of, 588–590
Hermaphroditism, and sexual differentiation and development, 1409
Heroin addiction, child abuse or neglect in, studies of, 894
Herpes, genital, in sexually abused children, screening for, 854
Herpes simplex, vaccine against, 703
Hip flexors, overuse injuries of, with ballet training, 1215
tendinitis of, with ballet training, 1218
Hirsutism, clinical scoring system for, 1340
in androgen excess, 1339
History-taking, in child abuse, physician education in, 974–975
in screening for steroid use, 1119
in sexual abuse, 840–841
HIV infection, in sexually abused children, screening for, 853, 855
in substance abuse, child abuse and, 889
Holt-Oram syndrome, congenital heart disease in, 35
Holter monitoring, in congenital complete atrioventricular block, 74
Homosexual men, hepatitis B vaccination of, 596
Hormones, and diarrhea, 300
anomalies of, and sexual differentiation and development, 1412–1415
effects on genitalia, 868–869
replacement of, in Turner syndrome, 1426–1427
Human body, fat-free, chemical composition of, 1067
Humerus, spiral fracture of, in child abuse syndrome, 818
Hydration, and heat illness prevention, in adolescent athletes, 1100–1101
for hypercalcemia, 1451

Hydration *(Continued)*
in male weight-control sports, 1150
Hydraulic resistance training, in strength training, 1206
Hydrochlorothiazide, for hypocalcemia, 1449
pediatric dosages of, 478
therapy with, 487
Hydrocortisone, for hypercalcemia, 1451
Hydrodensitometry, for body composition assessment, 1071–1072
Hydrogen ions, estimation of, from blood pH, 433
major sources of, 254
Hydrometry, for body composition assessment, 1067–1071
Hydrops fetalis, fetal echocardiography of, 62
Hydrostatic pressure, and water movement, 248
21–Hydroxylase deficiency, 17–hydroxyprogesterone levels in, 1345
17–Hydroxypregnenolone, plasma concentrations of, normal ranges of, 1337, 1343
17–Hydroxyprogesterone, in 21–hydroxylase deficiency, 1345
plasma concentrations of, in premature pubarche, 1346
normal ranges of, 1337, 1343
Hymen, congenital anomalies of, 875
in sexually abused child, 873, 874
orifice size, 847–848
Hyperactivity, childhood, in substance abuse families, 893
Hyperandrogenemia, differential diagnosis of, algorithm for, 1352
Hyperandrogenism, 1340–1351
chronic, causes of, 1347
diagnosis of, 1351–1353
functional, causes of, 1341
in peripubertal girls, **1333–1358**
medical treatment of, 1353–1354
Hyperapobetalipoproteinemia, 1506
Hypercalcemia, and pancreatitis, 381
clinical features of, 1449
hypocalciuric, familial, clinical features of, 1449–1450
idiopathic infantile, clinical features of, 1449
in acute renal failure, 345
in neonate, 375
pathophysiology of, 1449–1451
treatment of, 1451–1452
Hypercholesterolemia, familial, 1501–1504
phenotypes of, 1504–1505
polygenic, 1506
Hypercyanotic spells, 14–15
stepwise treatment of, 15
Hyperkalemia, 423–426
in acute renal failure, 341–344
in renal tubular acidosis, 438
treatment of, 342–343
Hyperlipidemia, combined, familial, 1505
primary vs secondary, 1500
Hypernatremia, **365–372**
causes of, 366
central nervous system effects of, 368–369
dehydration in, clinical signs of, 368
in diarrheal dehydration in infant, case study of, 282–283
in preterm infant, fluid therapy in, 330
in renal failure, causes of, 340
parentally induced, in child abuse, 915
therapy for, 369–370
Hyperosmolality, in hypernatremia, 365
Hyperosmolar hyperglycemic nonketotic coma, fluid therapy in, **313–321**
Hyperoxia test, for cyanosis in newborn, 6
Hyperparathyroidism, and hypercalcemia, 381
clinical features of, 1449–1450
Hyperphosphatemia, in acute renal failure, 344
pathophysiology of, 1457–1458
Hyperprolactinemia, and hyperandrogenism, 1346
Hypertension, and hyperuricemia, 403
in children, with strength training, 1197–1198
in renal tubular acidosis, 439
in Turner syndrome, 1432
Hyperthyroidism, and gynecomastia, 1396
causes of, 1277–1288
in children and adolescents, **1273–1295**
Hypertonicity, in hypernatremia, 365
Hypertriglyceridemia, familial, 1508–1509
Hypertrophic cardiomyopathy, sudden death from, 218–220
Hyperuricemia, clinical disorders with, 403
evaluation of, 408–410
renal, familial, 404
Hyperventilation, causes of, 445
Hypervitaminosis A, and hypocalcemia, 380
Hypoalbuminemia, and hypocalcemia, 380
Hypoaldosteronism, in renal tubular acidosis, 439
Hypoalphalipoproteinemia, 1511
laboratory findings in, 1513
Hypocalcemia, in children, 1446–1448
in neonate, 375, 1445–1446
pathophysiology of, 1445
treatment of, 1448–1449
with acute renal failure, 344
with hypernatremia, 370
with sepsis, 378
with surgery, 379
Hypochondroplasia, growth hormone treatment of, 1249
Hypogonadism, abnormal gonadotropin levels in, 1371
and gynecomastia, 1395

evaluation of, 1367–1368
hypergonadotropic. See *Testicular insufficiency, primary.*
in primary testicular insufficiency, 1379
treatment of, 1381–1384
Hypogonadotropism, temporary pubertal delay vs, 1378
Hypokalemia, 422–423
Hypomagnesemia, and hypercalcemia, 381
and neonatal hypocalcemia, 376
Hyponatremia, **351–363**
cardiovascular response to, 352–353
causes of, 353–359
chronic, 361
classification of, 354
complications in, 360–361
diagnosis of, 354
euvolemic, 356–359
factitious, 355
hypervolemic, 359
hypovolemic, 355–356
in diarrheal dehydration in infant, case study of, 283–285
in preterm infant, fluid therapy in, 331
in renal failure, causes of, 340
pathophysiology of, clinical, 351–353
therapy of, 354, 359–360
with exercise, 1090
Hypoparathyroidism, and hypocalcemia, 1446–1448
childhood, features of, 1447
neonatal, and hypocalcemia, 1446
Hypoperfusion, hypovolemic, acute, fluid resuscitation of, **287–294**
Hypophosphatemia, in acute renal failure, 345
Hypopituitarism, and pubertal delay, 1377
organic, growth curves for, 1369
testosterone for, response to treatment with, 1383
Hypoplastic left heart syndrome, **137–150**
cyanosis in, 20–21
heart transplantation for, 141–144
incidence and prevalence of, 31–32
management of, 139
recurrence risk for, 34
surgical options in, 138–141
combined strategies, 148
palliative, 144–148
survival in, 147–148
Hypoplastic left ventricle, fetal echocardiography of, 54, 56
Hypoplastic right heart, incidence and prevalence of, 31–32
recurrence risk for, 34
Hypotension, in hypovolemic shock, 289
Hypothalamic-pituitary-gonadal axis, development and maturation of, 1360–1367
in childhood, 1364–1365
in infancy, 1364
in puberty, 1365–1367
in utero, 1360–1364
feedback mechanisms of, 1361
Hypothalamus, role in thermoregulation, 1085
Hypothermia, in adolescent athletes, 1104–1105
Hypothyroidism, and hypotonic hyponatremia, 359
transient primary, in premature infants, 1307–1308
Hypothyroxinemia, transient, in premature infants, 1307
Hypotonic-hyporesponsive collapse, with immunization, required reporting of, 724–725
Hypouricemia, 409–410
Hypovolemia, in dehydration, fluid resuscitation of, 291–292
in hyponatremia, 352
Hypovolemic shock, definition of, 288
fluid therapy for, **287–294**
in hemorrhage, 288–290
Hypoxanthine guanine phosphoribyltransferase deficiency, and hyperuricemia, 404
Hypoxemia, definition of, 1

ICA positivity, in predicting insulin-dependent diabetes mellitus, 1481
IgM antibody synthesis, and immunologic response, 516
Imaging, analog vs digital, 116
electromagnetic energy in, ionizing vs non-ionizing, 116–118
Immobilization, hypercalcemia with, clinical features of, 1451
Immune globulin, for foreign travelers, 761
Immune modulation, for newly diagnosed insulin-dependent diabetes mellitus, 1475
Immunization. See also *Vaccination.*
adverse effects of, 518–519
in immunologically compromised host, 521–522
in pregnancy, 522
reporting of, 537–538, 724–725
complications of, host response in, 519
immunologic, 521
nonimmunologic, 519–523
properties of vaccine in, 519–521
emerging controversies in, 780–782
events following, required reporting of, 724–725
for foreign travel, 759
historical perspective on, 735–736
hypersensitivity reactions with, in allergic individuals, 522
immunologic capacity of host in, 516

Immunization *(Continued)*
in developing world, and AIDS, 747
medical-legal aspects of, **771–784**
of HIV-infected chldren, recommendations for, 524
practices in, in developing world, 738–748
preparations for, 518
record keeping in, 537–538
responses to, characteristics of, antigen status and, 515
routine, factors determining, 535
for American children in 1990s, **531–548**
informed consent for, 533–534
schedules for, 518, 534–535
1964 vs 1989, 532
state's police power in, 772
surveillance of, 715–716
universal, barriers to, 747–748
global progress in, 748–749
vaccine-preventable disease and, in developing world, **735–756**
Immunization status, in United States, 717
unknown or delayed, immunization in, 536
Immunodeficiency states, poliovaccine immunization in, schedules for, 636–637
Immunologic capacity of host, in immunization, 516
Immunologic defect, and insulin-dependent diabetes mellitus, 1469
Immunosuppressive agents, in pancreas transplantation, for insulin-dependent diabetes mellitus, 1477
Infants, dehydrated, evaluation of, 268
extracellular fluid turnover in, 266
furosemide pharmacokinetics in, 481
hypogonadism in, evaluation of, 1368
hypothalamic-pituitary-gonadal axis development and maturation in, 1364
low birth weight, fluid therapy in, historical perspective on, 323–324
sexual ambiguity in, clinical intervention in, 1405–1407
Infectious diseases, antigen status of, 515
characteristics of, 514
localized vs generalized, vaccination for, 513–515
portal of entry of, 515
recrudescence of, following vaccination, 523–524
Influenza, **669–688**
antigens in, immunologic response to, 676–677
chemoprophylaxis of, 681–683
chemotherapy of, 681–683
clinical manifestations of, 675–676
diagnosis of, 676
epidemics of, 669
pandemics of, 670–673
prevention, treatment, and control of, future prospects in, 683–685
vaccines against, 677–678
attenuated, 678–681
enhancement of immunogenicity of, 684
production methods of, and selective mutations, 683
recombinant DNA methodology for, 685
viruses causing, 671–673
antigenic shift and drift in, 674–675
characteristics of, 673
distribution in nature, 674
epidemiology of, 673–674
nomenclature of, 670
properties of, 670–673
surface glycoproteins of, 672
Informed consent, for routine immunization, 533–534
in vaccine-related injury, 773–774
Injuries, in young athletes, 1026–1027
inflicted, accidental vs, **791–814**
in child abuse syndrome, radiologic imaging of, **815–837**
medical evaluation of, 800–805
Insensible water losses, in preterm infant, 326–327
Institutionalized children, hepatitis B vaccination for, 595
Insulin, for diabetic ketoacidosis, 316
for hyperkalemia, 343
for hyperosmolar hyperglycemic nonketotic coma, 318–319
high-dose, for newly diagnosed insulin-dependent diabetes mellitus, 1362
in parenteral nutrition solutions, 455
Insulin resistance, and follicular atresia, 1349
Interhemispheric hemorrhage, in child abuse syndrome, 829
Internal injuries, in child abuse, 805–806
International travel, health information for, 758
hepatitis B vaccination for, 596
vaccination certificate requirements for, 758–759
vaccines for, **757–769**
Intestinal absorption, in adolescent athletes, beverage choice for, 1103
Intestinal water, in diarrhea, 300–301
transport of, physiology of, 296–299
Intra-atrial baffles, balloon dilation of, 195
Intracardiac communication, transcatheter closure of, 200–202
Intracellular water, as percentage of body weight, 243–244
Intracranial injury, in child abuse syndrome, 828–831
Intravenous drug abusers, hepatitis B vaccination of, 596

Iodine, and hyperthyroidism, 1287
Ionized calcium, pediatric perspective on, **373–389**
Ipecac poisoning, in Munchausen syndrome by proxy, 916
Iron, losses of, in high-school runners, and iron deficiency, 1160
  role in exercise performance, 1154–1156
Iron deficiency, in athletes, **1153–1163**
    causes of, 1158–1160
    frequency of, 1156–1157
    management of, 1160–1161
    nonanemic, and exercise performance, 1157–1158
Isokinetic exercise, 1193
Isometric exercise, 1188, 1192–1193
Isotonic exercise, 1192–1193
Ivalon plug, for transfemoral closure of ductus arteriosus, 201

Japanese encephalitis, EPI targeting of, 744
  vaccine against, for foreign travelers, 762
Jatene procedure, for transposition of great arteries, complete, 174–175
    with intact ventricular septum, 10
Jejunum, proximal, intramural hematoma of, in child abuse syndrome, 833
  sodium absorption in, 299

^{40}K spectometry, for body composition assessment, 1072–1073
Kallmann syndrome, and pubertal delay, 1377
  growth curves for, 1369
Kawasaki disease, echocardiography of, 120
Ketoacidosis, and metabolic acidosis, 439
Ketoconazole, for Cushing's disease, 1323
  for peripheral precocious puberty, 1268–1269
Kidney(s), developing, structure and function of, 463–472
  embryology of, 463–464
  physiology of, developmental, 470–472
  sodium reabsorption by, 251
Kidney disease, and hypovolemic hyponatremia, 356
Klinefelter syndrome, and primary testicular insufficiency, 1380–1381
  and sexual differentiation and development, 1410–1411
  growth curves for, 1369
  gynecomastia in, 1396
Knee, effusion of, diagnosis of, 1050
  injuries of, with ballet training, 1215
    with knee braces, 1168–1170
Knee braces, prophylactic, consequences of, 1170
    hazards of, 1170
    in football, **1165–1173**
  use by athletes, studies of, 1167
Knife burn, 806

Laboratory studies, in screening for steroid use, 1119–1120
Lactic acidosis, and metabolic acidosis, 440
Larmor principle, in nuclear magnetic resonance imaging, 129
Laser balloon angioplasty, 206
Lash marks, electrical cord, 801
Laurence-Moon-Biedl syndrome, and pubertal delay, 1377
Law, and child neglect, 931–933
Laxative abuse, in ballet dancers, 1216
Laxative intoxication, in Munchausen syndrome by proxy, 917
"Lean weight", gaining of, in male strength and power sports, 1150–1151
Learning, modalities of, 979–980
  principles of, 978–979
Learning disorders, childhood, in substance abuse families, 893
  in Turner syndrome, 1434
Lecithin-cholesterol acyltransferase deficiency, 1514
  clinical findings in, 1512
  laboratory findings in, 1513
Left ventricular angiogram, of tricuspid atresia, 158
Leg-length discrepancy, diagnosis of, 1049
Legal action, in child neglect, 931–933
Lesch-Nyhan syndrome, uric acid excretion in, 397
Leukemia, uric acid excretion in, 397
  varicella vaccination in, 693–695
Levocardia, echocardiography of, 118–119
Lipectomy, for gynecomastia, 1401
Lipids, abnormalities in, and hypocalcemia, 380–381
  endogenous transport of, 1493–1495
  exogenous transport of, 1492–1494
  plasma, levels of, 1495–1498
    origin and fate of, 1492–1495
  structure and function of, 1490–1495
Lipoprotein(s), classification and properties of, 1491–1492
  high-density, deficiencies of, clinical findings in, 1512
    dyslipoproteinemias due to, 1511–1515
    laboratory findings in, 1513
  level of, in hyperapobetalipoproteinemia, 1507

Lipoprotein(s) *(Continued)*
low-density, metabolic disorders of, 1501–1507
decreased removal, 1501–1505
overproduction, 1505–1507
plasma, levels of, 1495–1498
origin and fate of, 1492–1495
structure and function of, 1490–1495
triglyceride-rich, disorders of, 1508–1510
abnormal production, 1508–1509
decreased removal, 1508–1510
increased production, 1509–1510
Lipoprotein lipase, deficiency of, 1508
Lipoprotein LP(a), elevated levels of, 1510–1511
"Little League elbow", 1052, 1053
Liver, disease of, and gynecomastia, 1397–1398
transplantation of, and hypocalcemia, 379
trauma to, in child abuse syndrome, 833
tumors of, and gynecomastia, 1397
Lock clamshell septal occluder, for closure of intracardiac comuunications, 202
Long QT syndrome, sudden death in, 225
surgery for, 89
Loop diuretics, effects of, 474
Loop of Henle, structure and function of, 467
Lordosis, examination for, 1054
Lumbar spine, injury to, with forced turn out, in ballet training, 1217–1220
with strength training, 1196
protection of, in strength training, 1204
Luteinizing hormone, in testicular insufficiency, 1370
isolated deficiency of, and pubertal delay, 1378
Lymphedema, in Turner syndrome, 1431–1433
Lymphogranuloma venereum, in sexually abused children, screening for, 855

Macrogynecomastia, pubertal, definition of, 1392–1393
Magnesium, abnormalities of, in heat illness, in adolescent athletes, 1091
in parenteral nutrition solutions, 454–455
Magnetic resonance imaging, of congenital heart disease, 129–131
of tricuspid atresia, 157
Malignancy, and hypercalcemia, clinical features of, 1451
Malnutrition, and gynecomastia, 1397–1398
renal function in, 458
Malpractice, medical, in vaccine-related injury, 772–776
Mannitol, pediatric dosages of, 478
therapy with, 475–476
Marfan's syndrome, congenital heart disease in, 35
Marijuana, effects of, 884–885
Masculinization, inadequate, and sexual differentiation and development, 1415–1416
McCune-Albright syndrome, and hyperthyroidism, 1287
and precocious puberty, 1262–1263
Cushing's syndrome with, 1324–1325
Measles, age distribution of, 716
clinical manifestations of, 604–606
complications of, 604–605
diagnosis of, 606
elimination of, 620–621
EPI targeting of, 739–740
epidemiology of, 606–609
in developing countries, 608–609
in United States, 606–609
estimated deaths from, in developing countries, 749
immunization against, 542–544
duration of, 614
passive, 609–610
seroprevalance after, 613
in Kenya, distribution of, 739
modified, 605
outbreaks of, control of, 618
potential propagation of, 713
pathogenesis of, 604
revaccination against, response to, 614–615
subacute sclerosing panencephalitis in, 606
uncomplicated illness in, 604
US outbreaks of, years since vaccination and, 615
vaccination against, contraindications to, 619–620
recommendations for, 616–619
two-dose schedule for, 618
vaccines against, **603–625**
administration of, 611–612
composition of, 611
development of, 610–611
Edmonston-Zagreb, 615–616
efficacy of, 613
failure of, risk factors for, 613–614
immunity levels with, 621
immunization schedule modifications for international travel, 766–767
immunogenicity of, 613
side effects of, 616
strains of, 610–611
virus causing, 603–616
Medical history, for amenorrhea, in female athlete, 1133
Medical interview, in child abuse assessment, as bridge to services, 945

Medical students, child abuse education of, 981–982
Medical testimony, expert, in child abuse cases, 955–958
Medical therapy, for Cushing's syndrome, 1323–1324
Medications, and heat illness, in adolescent athletes, 1095
Medroxyprogesterone acetate, for amenorrhea in female athlete, 1135
for central precocious puberty, 1267
for hyperandrogenism, 1353
Memory, in learning process, 978
Menarche, delayed, and secondary amenorrhea, 1126
premature, in precocious puberty, 1264–1265
Meningitis, meningococcal, vaccine against, for foreign travelers, 762–763
Meningococcal disease, vaccine for, EPI distribution of, 751
Menstrual history, for amenorrhea, in female athlete, 1133
Menstrual irregularities, and secondary amenorrhea, 1127
with ballet training, 1214
with drug use, 897
Mental illness, in substance abuse, child abuse and, 889
Mental retardation, hepatitis B vaccination in, 595
in Turner syndrome, 1433–1434
Mental toughness training, in youth sports, 1035–1037
Mesocardia, echocardiography of, 119
Metabolic acidosis, 435
compensation for, 432
in hypoplastic left heart syndrome, 138
increased anion gap, etiology of, 439–441
normal anion gap, etiology of, 436–439
severe, in diarrheal dehydration in infants, 276
Metabolic alkalosis, 441–444
compensation for, 432
diagnosis of, urinary Cl^- in, 443–444
etiology of, 442
generation of, 441–443
in acute renal failure, 346
maintenance of, 443
Metabolic bone disease, in prematurity, 1460–1464. See also *Prematurity, metabolic bone disease in.*
Metabolic imbalances, and renal urate excretion, 401
Metaphyseal-epiphyseal fractures, in child abuse syndrome, radiologic imaging of, 817–819
Methamphetamines, effects of, perinatal, 884
postpartum exposure, 887
Methanol ingestion, and metabolic acidosis, 440–441
Methimazole, for Graves' disease, 1281–1282
Metolazone, pediatric dosages of, 478
therapy with, 488
Metyrapone, for Cushing's disease, 1323
Microwave oven burns, intentional, in child abuse, 906–907
Milliequivalents, definition of, 246
Mineralocorticoids, and potassium regulation, 421
deficiency of, and hypovolemic hyponatremia, 356
excess of, amd metabolic alkalosis, 442
for Cushing's disease, 1323
Mitotane, for Cushing's disease, 1323
Mitral valve, atresia of, fetal echocardiography of, 56
diastolic flow murmur in, in ventricular septal defect, 103
prolapse of, sudden death in, 223–224
regurgitation in, auscultation in, 107–108
stenosis of, auscultation in, 108
rheumatic, balloon dilation of, 199–200
Mole, definition of, 245
Monosaccharides, and sodium absorption, 298
Mother, interviewing of, in child abuse assessment, 946–948
Multiple-system disorder, in child abuse, 913–914
Multiple victimization, in child abuse assessment, 952–953
Mumps, 659–665
clinical features of, 661–662
EPI targeting of, 745
epidemiology of, 661–662
immunization against, 542–544
incidence of, in United States, 663–664
laboratory diagnosis of, 660
pathogenesis of, 660
public health considerations in, 662–663
serology in, 660–661
vaccines against, 651–668
immunization schedule modifications for international travel, 766–767
recommendations for use of, 663–665
side effects of, 665
virus causing, 659–661
Munchausen syndrome by proxy, in child abuse, 914–920
presentation and findings in, 918–919
warning signals of, 920
Muscle action, types of, 1188–1190
Muscle groups, balanced exercise of, in strength training, 1205–1206
Muscle oxidative function, in iron deficiency anemia, 1155

Muscle relaxation, training in, in youth sports, 1040–1042
Muscle size, steroid effects on, 1112–1113
Muscle strength, steroid effects on, 1112–1113
Muscle tone abnormalities, prenatal cocaine exposure and, 883
Muscular endurance, definition of, 1190–1191
Musculoskeletal injury, with strength training, 1195–1197
Musculoskeletal system, in hyponatremia, 353
Musculoskeletal trauma, in child abuse syndrome, radiologic imaging of, 816–825
Mustard procedure, for transposition of great arteries, with intact ventricular septum, 10–12
Myocardial hamartomas, ventricular tachycardia with, surgery for, 89–90
Myocardial infarction, imaging of, in congenital heart disease, 127–128
Myocardial inflammation, imaging of, in congenital heart disease, 127–128
Myocardial perfusion imaging, of congenital heart disease, 126–127
Myocarditis, sudden death from, 216–218

Na^+-K^+-ATP pump. See *Sodium-potassium-ATP pump.*
Nafrelin, patterns of response to, in hyperandrogenism, 1348–1349
Nails, abnormalities of, in Turner syndrome, 1433
Narcissism, paternal, in child abuse, 950
Nasolacrimal bleeding, in Munchausen syndrome by proxy, 917
National Childhood Vaccine Injury Act of 1986, 776–780
  background events to, 776–778
  compensation under, 779
  documentation and reporting under, 780
  eligibility for, 779
  emerging controversies with, 780–782
  funding for, 780
  future implications of, 781–782
  informed consent under, 780
  key provisions of, 778, 782
  legal protections under, 780
  limitations of, 779–780
  organizational aspects of, 778–779
  procedure under, 779
Neck, range of motion of, examination of, 1050
Neglect algorithm, for failure to thrive, 939
  for hot water burns, 929
Neonate, calcium in, 375–377
  fluid therapy in, special needs in, 323–336
  furosemide pharmacokinetics in, 481, 484
  thyroid hormone metabolism in, maturation of, 1302–1304
  uric acid in, 393–394
    fractional excretion of, 398
Neoplasms, and hypercalcemia, 381–382
Nephron, structure and function of, 464–470
Nephrotic syndrome, fluid administration in, 293
  furosemide pharmacokinetics with, 480, 483
  pseudohyponatremia in, 353
Nervous system damage, and gynecomastia, 1398
Neurobehavioral abnormalities, prenatal cocaine exposure and, 883
Neurogenic shock, fluid administration in, 293
Neurologic reactions, with pertussis vaccines, 556
Neutrality, professional, in child abuse assessment, 952
Newborn, cyanotic, evaluation of, **1–23**
Nicotinamide, for newly diagnosed insulin-dependent diabetes mellitus, 1475
Nicotinic acid, for dyslipoproteinemia, 1517
Nonthyroidal illness, thyroid function abnormalities in, 1308–1310
Noonan syndrome, and primary testicular insufficiency, 1381
  congenital heart disease in, 35
  growth hormone treatment of, 1249
Norwood operation, for hypoplastic left heart syndrome, 140, 144
Nuclear cardiology, of congenital heart disease, 125–128
Nutrition, assessment of, 451
  in acute renal failure, 346–348
  in substance abuse families, child abuse and, 888
  support of, 450
Nutritional intake, in adolescent athletes, **1143–1152**
    females, 1144–1148
    males, 1148–1151

Obesity, and heat illness, in adolescent athletes, 1094–1095
  and hyperandrogenism, 1350
Objectivity, in child abuse court testimony, 956–957
Obstructive uropathy, and hypovolemic hyponatremia, 356
Oliguria, in acute renal failure, 338
  physiologic, acute renal failure vs, 272
On-call status, in court testimony, 964

Oncology chemotherapy, parenteral nutrition in, 459
Opiates, effects of, perinatal, 885
Oral electrolyte therapy, recommendations for, 307
solutions for, 305–308
composition of, 301–305
Oral rehydration therapy, administration of, 305
fluid volume in, 306–308
for diarrhea, **295–311**
location of, 305–306
monitoring of, 306
patient selection for, 305–306
Orthopedic examination, preceding sports participation, **1047–1056**
Orthosis, semirigid, for ankle injury prevention, 1181–1183
Osgood-Schlatter's disease, diagnosis of, 1050
with ballet training, 1220
Osmolal gap, calculation of, 440
Osmolality, definition of, 246
regulation of, 252–253
in acute renal failure, 339–341
urinary, in neonate, 471
Osmolar disturbance, of body fluids, in dehydration, 270
Osmolar gap, calculation of, 252
Osmolarity, definition of, 246
Osmotic diuresis, mechanism of, 473
Osmotic pressure, and water movement, 248
Osteochondritis dissecans, of elbow, 1052, 1053
Osteodystrophy, uremic, and phosphorus excess, 1457
Osteopenia, definition of, 1125–1126
in female athlete, **1125–1141**
Ovarian disorders, and hyperandrogenism, 1346–1350
Ovaries, androgen secretion by, during puberty, 1336
Overlearning, in learning process, 978–979
Overuse injuries, in ballet dancers, 1216
Oxandrolone, for growth failure, in Turner syndrome, 1245, 1247
Oxyhemoglobin dissociation curve, 2

Pacing, for congenital complete atrioventricular block, 76
Pain, evaluation of, in strength training, 1202
history of, in child abuse, physician education in, 974
Pancreas, transplantation of, for insulin-dependent diabetes mellitus, 1476–1478
Pancreatic fluid drainage, and metabolic acidosis, 436
Pancreatic lesions, in child abuse, 912–914
intramural hematoma, 833, 834
pseudocysts, 912
transection, 912
Pancreatitis, hypercalcemia and, 381
Panencephalitis, subacute sclerosing, with measles, 606
"Paper" cases, in child abuse court testimony, preparation for, 962–963
Para-aminosalicylic acid, for dyslipoproteinemia, 1517
Paracervical muscle spasm, diagnosis of, 1049
Paraspinous muscle spasm, diagnosis of, 1055
Parathyroid hormone, interaction with receptor, 1443
role in calcium homeostasis, 1442, 1444–1445
role in phosphorus homeostasis, 1453
Parent(s), interviewing of, in child abuse assessment, 946–948, 950–951
risk factors in, in substance abuse families, 888–891
treatment of, in child abuse prevention, 996
Parenteral fluid, administration of, five-point assessment in, 268–273
indications for, 267
initial management of, 267–268
infants receiving, diarrheal dehydration in, management of, **265–286**
requirements for, estimation of, **257–264**
therapy with, maintenance electrolyte needs in, 261–262
maintenance fluid needs in, 258–261
short-term, caloric needs in, 262
Parenteral nutrition, **449–461**
central, delivery of, 451
continuing losses during, 453–454
initiation of, 449–450
nutritional requirements during, 452–453
patients requiring, 450
peripheral, delivery of, 451
solutions for, substrates in, 454–455
special requirements during, 459
Parenting skills, poor, in substance abuse, and child abuse, 889–890
Partnering, in ballet training, injuries with, 1215–1216
Passe en demi-pointe, in ballet training, 1214
Patella, chondromalacia of, diagnosis of, 1056
tendinitis of, with ballet training, 1220
Patent ductus arteriosus, clinical diagnosis of, 104–105
fetal echocardiography of, 64

Patent ductus arteriosus *(Continued)*
in preterm infant, fluid therapy in, 331
incidence and prevalence of, 31–32
polygenic inheritance in, 36
recurrence risk for, 34
Pathologists, as physical abuse experts, 959
Patient positioning, effect on heart sounds, 97–98
for cardiac auscultation, 95
Pediatric interview assessment, of child abuse, **943–954**
Pediatricians, as physical abuse experts, 959
as sexual abuse experts, 960
child abuse education of, 983
role in child maltreatment prevention, 810, **989–1002**
Peer review, of expert testimony, 957
Penis, small, response to testosterone treatment, 1382
Pepper, fatal aspiration of, in child abuse, 905–906, 908–909
Perianal region, congenital anomalies of, 875–877
findings in, in nonabused prepubertal children, 872
Pericardial effusion, fetal echocardiography of, 51
following Fontan operation for tricupid atresia, 164
Perineal groove, congenital, 876, 877
Periosteal new bone formation, in child abuse syndrome, radiologic imaging of, 818, 821
Pertussis, EPI targeting of, 743
epidemiology of, 552–554
immunization against, 538–540
neonatal, estimated deaths from, in developing countries, 749
organism causing, 549–552
vaccines against, **549–566**
acellular, reactogenicity of, 560
adverse reactions to, 555–558
antigenic components of, selection of, 560–561
development of, 554–555
distribution of, 720
efficacy of, 558–559
goals for, 560
immunization schedule modifications for international travel, 766
immunogenicity of, 554
protection in, definition of, 561
reaction rates in, 561
research in, unresolved issues in, 559–560
serologic assessment of, 561
whole cell vs acellular, efficacy of, 559–561
pH, blood, estimation of H^+ from, 433
definition of, 253
Phencyclidine (PCP), effects of, perinatal, 885–886
Phosphate deficiency, in prematurity, biochemical abnormalities in, 1463
Phospholipids, structure and function of, 1491
Phosphoribyl pyrophosphate synthetase overactivity, and hyperuricemia, 404–405
Phosphorus, accumulation in fetus, in third trimester, 1461
deficiency of, pathophysiology of, 1453–1457
excess of, pathophysiology of, 1457–1458
homeostasis of, control of, 1452–1458
dietary, 1453
hormonal, 1453
renal, 1452
disorders of, **1441–1465**
in parenteral nutrition solutions, 454
overload of, and hypocalcemia, 1446
serum levels of, during adolescent growth spurt, 1453
Photographs, with colposcopy, 865–867
Physical abuse. See also *Child abuse.*
definition of, 793, 955
demography of, 799–800
expertise in, 958–959
paternal history of, in child abuse assessment, 950
primary injury in, 799–800
seriousness of injury in, 804
Physical activity, effect on sodium in sweat, 1089–1090
Physical examination, for amenorrhea, in female athlete, 1134
in screening for steroid use, 1119
in sexual abuse, colposcope in, 867–868
Physical illness, in substance abuse, and child abuse, 889
Physical injuries, in sexual abuse, 847–848
Physical training, and secondary amenorrhea, 1127–1128
Physician, nonpediatric, child abuse education of, 984–985
Physician intervention, in male weight-control sports, 1148–1150
Physician-witness, in child abuse cases, preparation of, 962
Pilosebaceous unit, role of androgen in development of, 1339
Pituitary gonadotropins, deficiency of, and pubertal delay, 1377
Pituitary hormones, role in adrenarche, 1335
Plague, vaccine against, for foreign travelers, 763
Plasma, calcium in, distribution of, 374
electrolyte composition of, 245

maintenance of, in adolescent athletes, 1102
volume of, expansion of, in hypernatremia, 369
Plasma volume, and thermoregulation, 1086–1087
maintenance of, in adolescent athletes, 1102
Pleural effusion, fetal echocardiography of, 51
following Fontan operation for tricupid atresia, 164
Plyometric exercise, 1193
Pneumoperitoneum, in child abuse syndrome, 835
Pointe work, in ballet training, 1212, 1214–1215
Poisoning, in child abuse, 805
Poliomyelitis, 630–632
clinical disease in, 631
control of, 641
EPI targeting of, 740–741
epidemiology of, 630–631
immune response to natural infection, 632
immunization against, 540–542
neonatal, estimated deaths from, in developing countries, 749
paralytic disease in, vaccine-associated, 639–640
vaccine against. See *Poliovaccines*.
Poliovaccines, **627–649**
comparison of, 635
development and preparation of, 634–635
future strategies with, 641–642
history of, 632–634
immune response to, 637–639
immunization schedules for, 635–639
in endemic areas, 636
in immunodeficiency states, 636–637
in preterm infants, 637
in special situations, 636–637
modifications for international travel, 766–767
routine, 635–636
side effects of, 641
types of, 634
viral content of, 634
Polioviruses, 627–630
antigenic sites of, relative importance of, 629–630
serotypes of, 628–630
structure of, 628–629
Polycystic ovary syndrome, and hyperandrogenism, 1346–1350
Polycythemia, cyanosis in, 1
Pompe's disease, congenital heart disease in, 35
Positron emission tomography, of congenital heart disease, 131–133
Potassium, abnormalities of, **419–427**
in dehydration, 271–272
in heat illness, in adolescent athletes, 1090
brain loss of, in hyponatremia, 352
clinical disorders of, 422
concentration of, and electrocardiographic changes, 342
and sodium absorption, 299
in parenteral rehydration solutions, 275
excretion of, regulation of, in collecting duct, 469
in oral electrolyte solutions, 303
loss of, in diabetic ketoacidosis, 314
reabsorption of, 467–468
regulation of, 420–421
in acute renal failure, 341–344
replacement of, in diabetic ketoacidosis, 318
in diarrheal dehydration, rate of, 277
requirements for, in preterm infant, 329–330
urinary losses of, 262
Potassium-sparing diuretics, effects of, 475
Power, in strength training, definition of, 1190
measurements of, 1191
Power lifting, strength training in, 1194
Prader-Willi syndrome, and pubertal delay, 1377
Precocious puberty, **1255–1271**
and sexual differentiation and development, 1416–1417
causes of, 1260
central, 1261–1262
management of, 1267
constitutional, 1261
diagnostic evaluation of, 1265–1266
idiopathic, 1261
management of, 1267–1269
peripheral, 1262–1264
in females, 1264
in males, 1262–1264
management of, 1268–1269
Preemption, doctrine of, in National Childhood Vaccine Injury Act of 1986, 781
Pregnancy, history of, in child abuse assessment, 947
immunization in, adverse effects of, 522
prevention of, following rape, 849
substance abuse in, 897–898
Prehabilitation exercises, in strength training, 1202–1205
Prematurity. See also *Preterm infant*.
metabolic bone disease of, 1460–1464
biochemical abnormalities in, 1463
clinical manifestations of, 1462
course and prognosis in, 1462–1463
definition of, 1460–1461
etiology of, 1461–1462
future considerations in, 1464

Prematurity *(Continued)*
prevention and treatment of, 1463–1464
thyroid function in, 1305–1306
transient hypothyroxinemia in, 1307
transient primary hypothyroidism in, 1307–1308
Prepubertal children, nonabused, anogenital findings in, 871–875
sexually abused, anogenital findings in, 869–871
Pressure receptors, and extracellular fluid volume, 250
Preterm infant, electrolyte requirements in, 326–330
parenteral fluid requirements in, 328
poliovaccine immunization schedules for, 636–637
thyroid function in, 1298
water requirements in, 326–330
with other illness, fluid therapy in, 330–331
Primacy, in learning process, 978
Product liability, in vaccine-related injury, 774–776
Professional communicatioon, in child abuse assessment, 953
Professional compensation, in child abuse assessment, 951
Professional neutrality, in child abuse assessment, 952
Progesterone, follicular concentrations of, 1336
for amenorrhea in female athlete, 1135
Progestin, for hyperandrogenism, 1353
Propylthiouracil, for Graves' disease, 1281–1282
Prostaglandin E_1, for hypoplastic left heart syndrome, 138
Protein intake, in acute renal failure, recommendations for, 347
Protein-losing enteropathy, following Fontan operation, for tricuspid atresia, 165
Protein requirements, in male strength and power sports, 1150
Protein supplements, in male strength and power sports, 1150–1151
Proximal tubule, maturation of, 471
structure and function of, 464–467
PRP vaccines, against *Haemophilus influenzae* type b, 572–575
Pseudohyponatremia, in nephrotic syndrome, 353
Pseudohypoparathyroidism, and hypocalcemia, in children, 1446–1448
Psychiatric problems, in Turner syndrome, 1434
Pubertal delay, and sexual differentiation and development, 1416
and testicular insufficiency, 1372–1378
causes of, comparative diagnoses in, 1372
classification of, 1373
constitutional, 1374–1375
growth curves for, 1369
history and physical examination in, 1368–1370
initial assessment of, 1368–1372
laboratory evaluation of, 1370–1372
temporary, hypogonadotropism vs, 1378
Pubertal growth spurt, 1259
Puberty, anomalies in, and sexual differentiation and development, 1416–1417
delay in. See *Pubertal delay.*
development in, variations of, 1264–1265
hormonal changes in, 1365–1367
hypothalamic-pituitary-gonadal axis development and maturation in, 13657–1367
normal, 1255–1259
endocrine changes in, 1255–1257
physical changes of, 1257–1259
normal male development in, ages of, 1367
precocious, **1255–1271**. See also *Precocious puberty.*
Pubic hair, development of, in puberty, 1258, 1366
Public health nursing, role in child abuse prevention, 1005
Pulmonary angiogram, of tricuspid atresia, 158
Pulmonary artery, atresia of, with ventricular septal defect, cyanosis in, 15–16
branches of, stenosis of, auscultation in, 106–107
stenosis of, balloon dilation of, 194
Pulmonary banding, for tricuspid atresia, 160
Pulmonary blood flow, calculation of, 2
imaging of, in congenital heart disease, 127
restricted, in tricuspid atresia, 153
Pulmonary hypertension, pulmonary valve regurgitation secondary to, auscultation in, 107
sudden death in, 224
Pulmonary valve, atresia of, fetal echocardiography of, 59
with intact ventricular septum, cyanosis in, 21–22
balloon dilation of, 196–197
insufficiency of, following tetralogy of Fallot repair, 189
regurgitation in, auscultation in, 107
stenosis of, incidence and prevalence of, 31–32
recurrence risk for, 34
repair of, auscultatory follow-up of, 112
with intact ventricular septum, auscultation in, 105–106
Pulmonary vein(s), atresia of, fetal echocardiography of, 53

balloon dilation of, 196
Purine disorders, metabolic pathways in, 395
Purpura, spontaneous, in Munchausen syndrome by proxy, 917

Quadriceps, weakness of, diagnosis of, 1056

Rabies vaccine, for foreign travelers, 763–764
Radiography, of congenital heart disease, 123–125
of tetralogy of Fallot, 183
of tricuspid atresia, 155
Radioiodine, for Graves' disease, 1282–1283
Radiologic imaging, of inflicted injury, in child abuse syndrome, **815–837**
Radionuclide scanning, of tricuspid atresia, 157
Radiotherapy, for Cushing's syndrome, 1323
Rape, pregnancy prevention following, 849
Rash, in Munchausen syndrome by proxy, 919
Rashkind occluder, double-umbrella, for closure of extracardiac communications, 201–202
Recency, in learning process, 978
Recombinant viruses, for live vaccine development, 525–526
Recombivax HB, for hepatitis B, clinical studies of, 592–594
development of, 589–591
Refeeding, 457–458
in diarrhea, 308
Reflex sympathetic dystrophy, in young athletes, 1026
Regression equations, for body composition assessment, 1075
Rehydration, for diabetic ketoacidosis, 316
for hyperosmolar hyperglycemic nonketotic coma, 318–319
in heat stroke, 1098
oral, **295–311**
parenteral solutions for, sodium concentration of, 275
Religious practices, child abuse vs, 794
Renal blood flow, in neonate, 470
Renal dysplasia, and hypernatremia, 368
Renal failure, acute, acid-base disorders in, 345–346
and hyperuricemia, 405
clinical characteristics of, 347
fluid needs in, **337–350**
management recommedations for, 347
parenteral nutrition in, 459
physiologic oliguria vs, 272
and gynecomastia, 1398
and hypocalcemia, 380, 1446
and uric acid elimination, 396–398
chronic, and hyperuricemia, 407
growth attenuation with, growth hormone treatment of, 1248–1249
furosemide pharmacokinetics with, 480
Renal function, changes in, maturational, 324–326
in dehydration, 272–273
in hyponatremia, 353
in malnutrition, 458
Renal trauma, intramural hematoma of, in child abuse syndrome, 833
Renal tubular acidosis, and metabolic acidosis, 437–438
Renal water requirements, calculation of, 278
Renin-angiotensin-aldosterone system, and renal sodium absorption, 251
Report writing, in child abuse assessment, 951–952
Reproductive function, control of, 1359–1360
Residents, child abuse education of, 982–983
court testimony by, 961
Resistance exercise, types of, 1192–1193
Resistance training, definition of, 1192
in strength training, recommendations for, 1202–1204
Resources, allocation of, for child abuse prevention, 991
diversion of, in substance abuse, child abuse and, 888
Respiratory acidosis, 444
compensation for, 432
Respiratory alkalosis, 444–445
compensation for, 432
Retinal hemorrhage, in child abuse syndrome, 914
radiologic imaging of, 832
Rib fractures, in child abuse syndrome, radiologic imaging of, 822–823
Rickets, biochemical associations of, 1456
hypophosphatemic, 1454–1456
familial, genetic mapping of, 1455
hypercalciuric, 1456–1457
phosphorus deficiency in, 1453–1454
vitamin D-dependent, 1459–1460
Right ventricle, dysplasia of, arrhythmogenic, surgery for, 88–89
stenosis of, with intact ventricular septum, auscultation in, 106
Right ventricular outflow tract obstruction, in Tetralogy of Fallot, 180
residual, following tetralogy of Fallot repair, 189
Rimantadine, for influenza, 681–683

Ringer's lactate solution, for hypovolemia, 290–292
Rotavirus vaccine, EPI distribution of, 750–751
Rubella, 651–659
  clinical features of, 652–653
  congenital, 653
  EPI targeting of, 745–746
  epidemiology of, 652–653
  immunization against, 542–544
    in childbearing years, 657
    universal, 655
  incidence of, 721
    in United States, 656
  laboratory diagnosis of, 652
  low antibody levels in, 654–655
  outbreaks among adolescents, 657
  pathogenesis of, 652
  public health considerations in, 655–657
  reinfection with, 654–655
  vaccines against, **651–668**
    immunization schedule modifications for international travel, 766–767
    immunologic response to, 654
    recommendations for use of, 657–658
    side effects of, 658–659
    teratogenic potential of, 659
  viral agent in, 651
Russell-Silver syndrome, growth hormone treatment of, 1249–1250

Safety neglect, accident vs, 792
Saline, intravenous, for hyponatremia, 360
  isotonic, for diabetic ketoacidosis, 318
    for hypovolemic dehydration, 291–292
Salt, in oral electrolyte solutions, 304
Satanic cults, child abuse by, 795–796
SCAN teams, for child abuse evaluation, 923
Scoliosis, diagnosis of, 1049, 1054, 1055
  with ballet training, 1220
Seizure disorder, with immunization, required reporting of, 724–725
Seizures, in Munchausen syndrome by proxy, 916, 918
Self-instructional training, in stress management training, 1036
Seminal fluid, in sexual abuse examination, 848
Semirigid orthosis, for ankle injury prevention, 1181–1183
Senning operation, for transposition of great arteries, complete, 173
    with intact ventricular septum, 10–12
Separation, parent-child, in substance abuse families, 891
Sepsis, and hypocalcemia, 378
Septal defects, systolic murmur in, intensity of, 101–103
Septic shock, fluid administration in, 292–293
Serum tonicity, calculation of, in acute renal failure, 340
Serum urate, concentration of, increased, and renal urate excretion, 401
Sex chromosome anomalies, and sexual differentiation and development, 1409–1412
Sexual abuse. See also *Sexually abused child.*
  and sexually transmitted diseases, 849–856, 877–878
  documentation of, 856–857
  examination in, colposcope for, **863–880**
  expertise in, 959–960
  forensic evidence and, 848–849
  hidden nature of, 1004–1005
  history taking in, 840–841
  in families, prevalence of, 944
  indicators of, 843
  maternal history of, in child abuse assessment, 948
  parental allegations of, 842
  paternal history of, in child abuse assessment, 950
  pediatric evaluation of, 1006
  physical injuries and, 847–848
  prevention of, 997
  substance abuse and, 895–896
Sexual ambiguity, at birth, clinical intervention in, 1405–1407
Sexual development, at puberty, atypical, clinical intervention in, 1407–1408
  clinical conditions affecting, 1408–1417
  disorders of, psychological aspects of, **1405–1420**
Sexual differentiation, clinical conditions affecting, 1408–1417
  disorders of, clinical intervention in, guidelines for, 1405–1408
    psychological aspects of, **1405–1420**
Sexually abused child. See also *Sexual abuse.*
  interview of, 841–843
  medical evaluation of, **839–862**
  physical examination of, 843–847
  prepubertal, anogenital findings in, 869–871
  sexually transmitted disease in, screening for, 853–856
    treatment of, 851–852
  subsequent care of, 857–858
Sexually active persons, hepatitis B vaccination of, 596
Sexually transmitted diseases, in sexually abused children, 849–856, 877–878
    treatment of, 851–852
Shaking, in Munchausen syndrome by proxy, 916

Shock, fluid administration in, 292–293
Shock-collapse, with immunization, required reporting of, 724–725
Short stature, classification of, 1232
differential diagnosis of, 1232
in Turner syndrome, growth hormone therapy for, 1243–1248
intrinsic, definition of, 1230
hypothetical growth curves in, 1231
isolated, growth hormone secretory capacity in, 1237–1239
growth hormone treatment of, 1239–1243
non-growth hormone deficient, growth hormone for, **1229–1254**
syndromes of, growth hormone treatment of, 1249–1250
Shoulder, disorders of, diagnosis of, 1049, 1051–1052, 1054
fractures of, in child abuse syndrome, radiologic imaging of, 823
Shoulder muscles, prehabilitation exercises for, in strength training, 1202–1204
Shoulder overuse injury, in children, with strength training, 1196
Shunts, intracardiac, physiologic consequences of, 3
SIADH, and euvolemic hyponatremia, 357
and renal urate excretion, 401
causes of, 358
Single ventricle, fetal echocardiography of, 57–58
incidence and prevalence of, 31–32
recurrence risk for, 34
Single-gene defects, in congenital heart disease, 35–36
Situs ambiguus, echocardiography of, 119
Skeletal abnormalities, in Turner syndrome, 1429–1430
Skeletal age, in puberty, 1259
Skeletal injury, with strength training, 1196
Skeletal trauma, differential diagnosis of, 825
Skin, abnormalities of, in Turner syndrome, 1433
Skinfold measurements, for body composition assessment, 1074–1076
Skull fracture, in child abuse syndrome, 828
Sleep disruption, in young athletes, 1026
Small bowel fluid drainage, and metabolic acidosis, 436
Smallpox immunization, elimination of, 532
Social history, for amenorrhea, in female athlete, 1133
Social selection, and neglect, 933–934
Sodium, abnormalities of, in heat illness, in adolescent athletes, 1089–1090
absorption of, intestinal, 297–299
brain loss of, in hyponatremia, 352
concentration of, in parenteral rehydration solutions, 275
excess of, in hypernatremia, 366–367
excretion of, mechanisms regulating, 250, 469
homeostasis of, and extracellular fluid volume maintenance, 249–251
in newborn, 325
in oral electrolyte solutions, 302–303
loss of, in diabetic ketoacidosis, 314
reabsorption of, in distal tubule, 468
in proximal tubule, 466
renal, 251
regulation of, in acute renal failure, 339–341
replacement of, in diabetic ketoacidosis, 318
in diarrheal dehydration, rate of, 277
requirements for, in preterm infant, 329
secretion of, intestinal, 299
urinary losses of, 261–262
Sodium compounds, for hyperkalemia, 343
Sodium-potassium-ATP pump, and solute movement, 247
Solutes, movement of, 247–249
transport of, intestinal, 297
Spinal cord injury, prevention of, 1200–1201
Spine, alignment of, in ballet training, 1215, 1218
trauma to, in child abuse syndrome, radiologic imaging of, 823–824
subacute hemorrhage in, 826
Spironolactone, for hyperandrogenism, 1354
pediatric dosages of, 478
therapy with, 489–491
Spleen, intramural hematoma of, in child abuse syndrome, 833
Spondylolysis, diagnosis of, 1054, 1055
Sports, enjoyment of, 1025
healthy philosophy of, 1030
orthopedic preparticipation screening examination for, **1047–1056**
paticipation in, consequences of, 1025
stress in, 1027–1029
parent-induced, 1033–1035
stress management training for, 1035–1037
withdrawal from, consequences of, 1025
Sports activity, modification of, using wet bulb [globe] temperature, 1100
Sports programs, coaching roles and relationships in, 1032–1033
organization and administration of, 1031–1032
Squatting position, effect on heart sounds, 98
Stabilizers, ready-made, for ankle injury prevention, 1179–1181
Standard of care, in vaccine-related injury, 772–773

Standing position, effect on heart sounds, 97
Starling equilibrium, forces in, 249
Starvation, 455–457
Statute of limitations, in vaccine-related injury, 774
Sternum, fractures of, in child abuse syndrome, radiologic imaging of, 823
Steroids, anabolic, availability of, 1113–1114
nonmedical use of, 1113–1114
potential complications of, 1115
side effects of, 1114–1118
AIDS and infections, 1117
cardiovascular, 1116
dermatologic, 1117
endocrine system, 1115–1116
hematologic, 1116
hepatic, 1116–1117
musculoskeletal, 1117
psychological, 1117–1118
renal, 1117
reproductive system, 1115–1116
use by adolescent athletes, **1111–1123**
intervention strategies with, 1120–1121
reasons for, 1118
with strength training, 1198
biosynthetic pathways of, 1334
follicular concentrations of, 1336
for Cushing's disease, 1323
high-dose, for newly diagnosed insulin-dependent diabetes mellitus, 1474
plasma levels of, in premature adrenarche, 1342
normal range of, 1343
Stethoscope, selection of, for cardiac auscultation, 95
Strapping, for ankle injury prevention, 1176–1181
Strength, measurements of, 1191
muscle, definition of, 1187–1188
Strength and power sports, male, nutritional intake in, 1150–1151
Strength training, **1187–1210**
and helping children excel in sports, 1198–1200
and protection against injury in sports, 1200–1206
definition of, 1191–1192
guidelines for beginning, 1201–1206
harm to children from, 1195–1198
preparticipation examination for, 1202
progression in, 1194–1195
training session for, 1205
Streptococcus pneumoniae vaccine, EPI distribution of, 751
Stress, effect on ballet dancers, 1216
in sports, 1021–1027. See also *Athletic stress.*
role in insulin-dependent diabetes mellitus, 1470
Stress fractures, with pointe work, in ballet training, 1214
Stroke volume, estimation of, with fetal echocardiography, 60
Structural abnormalities, and congenital complete atrioventricular block, 70–71
Subaortic stenosis, membranous, balloon dilation of, 198–199
Subdural hematoma, in child abuse syndrome, 830, 832
Subperichondrial hematoma, in child abuse, 914
Substance abuse. See also *Substance abuse families.*
child abuse or neglect with, **881–904**
parental risk factors in, 888
recommendations in, 897–900
risk of, factors increasing, 887–893
studies of, 893–896
childhood exposure to, and risk of subsequent substance abuse, 896–897
incidence of, 881–882
maternal history of, in child abuse assessment, 948
sexual abuse with, 895–896
treatment of, parental noncompliance with, risk of child abuse with, 895
Substance abuse families, child risk factors in, 891–893
children of, foster care for, 899
legal protection of, 900
parental risk factors in, 888
services for, 898
Sudden death, **215–231**
in congenital complete atrioventricular block, 74
in pediatric cardiology patients, 221–226
prevention of, 228
Sudden infant death syndrome, risk of, with cocaine use, 886
with pertussis vaccines, 556
Supine position, effect on heart sounds, 97–98
Supraventricular tachycardia, ectopic foci of, surgery for, 87
fetal echocardiography of, 62–64
procedures for, 81
reentrant, surgery for, 85–86
Surveillance, of vaccine-preventable diseases, **709–733**
active vs passive, 713–714
case definitions in, 711–712
evaluation of, 727
of biologics, vaccination status determination by, 718
phases of, 715–727
physician reporting in, 712–713
preprogram planning for, 715–716
program implementation in, 716
registries for, 714–715

sentinel vs universal, 714
sources of data for, 711
Sway-back, examination for, 1054
Sweating, heat loss by, 1086
Symmetrel, for influenza, recommendations for use of, 682
Syndrome of inappropriate secretion of ADH. See *SIADH*.
Syndrome of nonthyroidal illness, thyroid function abnormalities in, 1308–1310
Syphilis, in sexually abused children, screening for, 855
Systemic-pulmonary shunts, surgical, closure of, balloon dilation for, 203–204
Systems review, for amenorrhea, in female athlete, 1133
in child abuse prevention, 994

Tachycardia, supraventricular. See *Supraventricular tachycardia*.
ventricular. See *Ventricular tachycardia*.
Tamoxifen, for gynecomastia, 1401
Tangier disease, clinical findings in, 1512
dyslipoproteinemia in, 1511–1514
laboratory findings in, 1513
Tanner stages, of male pubertal genital and hair growth, 1366
Taping, for ankle injury prevention, 1176–1181
Temperature, wet bulb [globe], and heat illness, 1099
Testicular atrophy, and primary testicular insufficiency, 1380
Testicular differentiation, in utero, 1362–1363
Testicular enlargement, in puberty, 1365
Testicular failure, primary and secondary, assessment of, 1360
Testicular insufficiency, **1359–1387**
differential diagnosis of, 1372
evidence of, 1362
primary, 1378–1381
treatment of, 1381–1384
secondary, and pubertal delay, 1376–1377
testosterone levels in, 1370
Testis, role in genital differentiation, 1364
Testolactone, for gynecomastia, 1401
for peripheral precocious puberty, 1268
Testosterone, circulating levels of, throughout life, 1363
for testicular insufficiency, response to treatment with, 1382–1383
plasma concentrations of, normal ranges of, 1337
synthetic derivatives of, anabolic effects of, 1111–1112
Tetanus, EPI targeting of, 741–743
immunization against, 538–540
neonatal, estimated deaths from, in developing countries, 749
vaccine against, distribution of, 720
immunization schedule modifications for international travel, 766
Tetralogy of Fallot, **179–192**
anatomy of, 180–181
angiogram of, 13–15
cardiac catheterization of, 184–185
cardiac examination in, 181–182
clinical manifestations of, 182
cyanosis in, 3–4, 13–15
echocardiography of, 183
electrocardiogram of, 182–183
historical perspective on, 179–180
incidence of, 31–32, 179–180
laboratory studies of, 182–184
management of, 14, 184–185
pathology of, 180–181
physiology of, 181
prevalence of, 31–32
radiography of, 183
recurrence risk for, 34
sudden death in, 224–225
postoperative, 226–227
surgery for, 88
approach to, 186–187
auscultatory follow-up of, 112
palliation by shunt, 186
postoperative results in, 188–190
reoperation for, 190
technique in, 187–188
total repair of, 186–187
Thelarche, premature, in precocious puberty, 1264
Thermoregulation, during exercise, 1085–1089
Thiazide diuretics, effects of, 474
therapy with, 487–492
Thiourea, for Graves' disease, 1281–1282
Third space effect, in hypovolemic hyponatremia, 355
Thirst, in child abuse, 907, 910
in hypernatremia, 366
Thoracic cage, trauma to, in child abuse syndrome, radiologic imaging of, 822–823
Thrombocytopenia, vaccine-induced, 523
Thyroglobulin, synthesis of, 1275
Thyroid, neoplasms of, and hyperthyroidism, 1287–1288
normal physiology of, 1274–1275
Thyroid-binding globulin, fetal increases in, 1299
Thyroid disorders, and hypercalcemia, 381
Thyroid function, in premature infants, 1305–1306
developmental changes in, 1300
in preterm fetus, 1298

Thyroid function *(Continued)*
secretion and control, maturation of, 1297–1302
Thyroid hormones, actions on target tissues, mechanism of, 1276
ingestion of, and hyperthyroidism, 1286–1287
major, structures of, 1274
metabolism of, fetal and neonatal, maturation of, 1302–1304
synthesis of, 1275
Thyroid-stimulating hormone, hypersecretion of, and hyperthyroidism, 1288
production of, in neonates, increased, 1305
in prematures, 1305–1306
Thyroiditis, and hyperthyroidism, 1285–1286
Thyrotoxicosis, pathophysiology of, 1275–1277
signs and symptoms of, 1276
Thyroxine, birth level of, correlation with gestational age and weight, 1301
deiodination of, 1303–1304
low, euthyroid states of, in prematures and sick neonates, **1297–1312**
maturation of, 1299
production of, in prematures, 1305–1306
structure of, 1274
D-Thyroxine, for dyslipoproteinemia, 1517
Tibia, metaphyseal fracture of, in child abuse syndrome, 819
Tick-borne encephalitis, vaccine against, for foreign travelers, 764
"Tin ear syndrome", in child abuse, 914, 915
Tissue oxygenation, calculation of, 3
Tonicity, normal, maintenance of, **241–256**
Torso, prehabilitation exercises for, in strength training, 1205–1206
Total anomalous pulmonary venous connection, anatomic relationships in, 5
cyanosis in, 4, 19–20
incidence and prevalence of, 31–32
recurrence risk for, 34
Total body electrical conductivity, for body composition assessment, 1073
Total body water, 241–242
Toxins, environmental, role in insulin-dependent diabetes mellitus, 1470
ingestion of, in child abuse, 910–912
Training, and iron deficiency in athletes, 1159–1160
Transposition of great arteries, anatomic relationships in, 5
chest radiograph in, 8
complete, **171–177**
atrial switch repair of, 173–175
cineangiogram of, 172
fetal echocardiographic diagnosis of, 171–173
management of, 174–176
cyanosis in, 4
D-transposition, cyanosis in, 9–10
incidence and prevalence of, 31–32
recurrence risk for, 34
with intact ventricular septum, management of, 10–12
with pulmonary stenosis, management of, 12–13
with ventricular septal defect, management of, 12
fetal echocardiography of, 57
sudden death in, postoperative, 227–228
Trapezius muscle spasm, diagnosis of, 1049
Travel, international. See *International travel.*
Triamterene, pediatric dosages of, 478
therapy with, 491–492
Trichomoniasis, in sexually abused children, screening for, 854
Tricuspid valve, atresia of, **151–169**
anatomy of, 152–154
laboratory studies of, 155–158
Blalock-Taussig shunt for, 159
cardiac catheterization of, 157–158
classification of, 152–154
clinical features of, 151–152
cyanosis in, 17–19
echocardiography of, 156–157
fetal, 54
electrocardiography of, 155
Fontan operation for, 161–166
history of, 151
left ventricular angiogram of, 158
magnetic resonance imaging of, 157
management of, 18–19
natural history of, 152
palliative surgery for, 159–161
pathophysiology of, 152–154
physiology of, laboratory studies of, 155–158
pulmonary angiogram of, 158
radiography of, 155
radionuclide scanning of, 157
with transposed great arteries, Fontan operation for, 163
regurgitation of, fetal echocardiography of, 55
Triglyceride(s), guidelines for interpreting, 1500
in hyperapobetalipoproteinemia, 1507
structure and function of, 1491
Triglyceride lipase, hepatic, defects in, 1510
Triiodothyronine, low, euthyroid states of, in prematures and sick neonates, **1297–1312**
maturation of, 1299
production of, in prematures, 1305–1306
structure of, 1274

Trisomy 21, congenital heart disease in, 34–35
Truncus arteriosus, cyanosis in, 16–17
diagram of, 16
incidence and prevalence of, 31–32
recurrence risk for, 34
Tuberculin testing, schedule for, 519
Tuberculosis, EPI targeting of, 742
vaccine against, for foreign travelers, 764
Tubulointerstitial disease, and hypovolemic hyponatremia, 356
Tumor(s), and gynecomastia, 1396–1397
and SIADH, 358
Tumor lysis syndrome, and hyperuricemia, 405–406
Tumoral calcinosis, and phosphorus excess, 1457–1458
Turn out, in ballet training, forced, 1217–1220
measurement of, 1218–1220
Turner syndrome, **1421–1440**
and sexual differentiation and development, 1409–1410
autoimmune disease in, 1433
cancer in, 1434
cardiovascular abnormalities in, 1431–1433
chromosome abnormalities in, 1422
classic appearance of, 1424
congenital heart disease in, 34–35
counseling in, 1434–1435
craniofacies in, 1431
diagnosis of, 1425–1426
prenatal, 1423
fertility in, 1428
genitourinary tract abnormalities in, 1428
gonadal failure in, 1426–1427
growth hormone therapy for, 1243–1248
growth problems in, 1429
growth rates in, treated, 1246
untreated, 1247
heritability of, 1422–1423
hormone replacement in, 1426–1427
incidence of, 1421–1422
learning disabilities in, 1434
lymphedema in, 1431–1433
mental retardation in, 1433–1434
pathophysiology of, 1423–1425
physical features in, 1425
psychiatric problems in, 1434
roentgenographic changes in, 1430
skeletal abnormalities in, 1429–1430
skin, nail, and hair abnormalities in, 1433
spontaneous abortion with, 1423
Typhoid, vaccine against, EPI distribution of, 750
for foreign travelers, 764–765

Ulna, periosteal new bone formation of, 821
Univentricular heart, cyanosis in, 19
Urate, excretion of, clinical disorders of, 408–410
increased, hypouricemia in, 409–410
physiological factors in, 400–407
production of, decreased, 408–409
Uremic acidosis, in acute renal failure, 345
Uremic osteodystrophy, and phosphorus excess, 1457
Uric acid, 391–400
elimination of, 396–399
formation of, 393–396
in children, 394
in neonate, 393
metabolism of, **391–418**
drugs affecting, 401–403
renal transport of, 398–400
serum, 391–393
Uric acid nephropathy, acute, and hyperuricemia, 405
Urine, concentration of, relationship to urine volume, in parenteral therapy, 260–261
output of, and renal urate excretion, 400–401
in hyponatremia, 353
obligatory, solute load and, 278
Uropathy, obstructive, and hypernatremia, 368

Vaccination, **513–529**. See also *Immunization.*
contraindications to, misconceptions concerning, 535
events following, reporting of, procedure for, 726
for foreign travel, exemption from, 759
programs for, adverse effects of, 722–726
monitoring methods in, 723
surveillance of, 715–718
risk vs benefit of, factors affecting, 537
Vaccine(s), administration of, 515
adverse effects of, 520
antigen-related, 522–523
breastfeeding and, 767–768
classification of, 518
current human trials of, 753
development of, issues in, 527–529
strategies for, 525–527
efficacy of, surveillance determinations of, 721
for international travel, **757–769**. See also *International travel.*
live vs killed, 515
multiple, simultaneous administration of, 536–537
new, 527–528, 751–752
pertussis, **549–566**

Vaccine(s) *(Continued)*
price increases in, 778
production of, molecular approaches to, 524
properties of, and nonimmunologic complications, 519–521
public administration of, surveillance of, 719
routine, immunization schedule modifications for international travel, 766–767
Vaccine-preventable diseases, and immunization, in developing world, **735–756**
case numbers and morbidity of, 710
child deaths due to, 738
eradication of, 726–727
in developing countries, 736–738
disease burden of, 752
surveillance of, **709–733**
Vaccine-related injury, informed consent in, 773–774
medical malpractice in, 772–776
product liability in, 774–776
standard of care in, 772–773
statute of limitations in, 774
Vaginal bleeding, with sexual abuse, 847
Vaginosis, bacterial, in sexually abused children, screening for, 854
Valsalva maneuver, effect on heart sounds, 97
Variable resistance exercise, 1193
Varicella, partial immunity to, 697
vaccine against, future of, 700–701
live attenuated, development of, 691–692
in adults, 695–696
in healthy children, 692–693
in leukemic children, 693–695
safety and efficacy of, 692
zoster in vacinees, 698–699
Varicella-zoster virus, antigens of, 691
glycoprotein, immune response to, 697–698
immune response to, development of, 690–691
pathogenesis of, 690–691
protection against, cellular immunity in, 698
transmission of, 699–700
vaccine against, live attenuated, 689–701
vaccine-type vs wild-type, 696–697
Vascular malformations, in Turner syndrome, 1432
Venoatrial connection, fetal echocardiography of, 52
Ventricular arterial connections, fetal echocardiography of, 59
Ventricular depolarization, and ionized calcium, 375
Ventricular ectopy, following tetralogy of Fallot repair, 189
in congenital complete atrioventricular block, 73
Ventricular function, echocardiography of, 122
Ventricular rate, change in, with maximal exercise, in congenital complete atrioventricular block, 73
Ventricular septal defect, clinical diagnosis of, 101–103
closure of, balloon dilation for, 204
echocardiography of, 120–121
fetal, 57–58
incidence and prevalence of, 31–32
large, systolic murmur in, 102–103
recurrence risk for, 34, 38
second heart sound in, 102
systolic murmur in, intensity of, 101–103
Ventricular tachycardia, surgery for, 88–90
Victimization, multiple, in child abuse assessment, 952–953
Videocamera, with colposcopy, 864–867
Violence, in substance abuse families, child abuse and, 891
Viral infection, role in insulin-dependent diabetes mellitus, 1469
Viral vaccines, **689–707**. See also names of specific viruses and viral diseases.
Visceral trauma, in child abuse syndrome, radiologic imaging of, 831–835
Vitamin D, and calcium homeostasis, 1443–1444
deficiency of, 1459
for hypocalcemia, 1448
intoxication with, and hypercalcemia, clinical features of, 1451
metabolic interconversions of, 1444
nutrition and metabolism of, disorders of, 1458–1460
Vitamin D-dependent rickets, 1459–1460
Volume, normal, maintenance of, **241–256**
Volume deficit, in infants, identification of, 268–269
Volume of distribution, of drugs, definition of, 476
Volume receptors, and extracellular fluid volume, 250
Vomiting, in Munchausen syndrome by proxy, 916, 919
Vulva, injury to, with sexual abuse, 847

Warts, genital, in sexually abused children, screening for, 854
Water, absorption of, solute-dependent, 296
acute intoxication with, and hypotonic hyponatremia, 359
balance of, in newborn, 325–326
body. See *Body water*.

deficit of, in diabetic ketoacidosis, 314–315
in hypernatremia, 367
in hyperosmolar hyperglycemic nonketotic coma, 314–315
deprivation of, in child abuse, 907, 910
endogenous production of, 338
in refeeding, 457
in starvation, 456–457
losses of, in preterm infant, 326–329
insensible, parenteral replacement of, 258–259
urinary, parenteral replacement of, 259–261
maintenance requirements for, 259
reabsorption of, in distal tubule, 468
in proximal tubule, 466–467
requirements for, in parenteral nutrition, 452–453
in preterm infant, 326–330
transport of, intestinal, 296–299
Weight-control sports, male, nutritional intake in, 1148–1150
Weight training, definition of, 1192
Weightlifting, strength training in, 1193–1194
Wet bulb [globe] temperature, and heat illness, 1099
Whole blood, for hypovolemic shock, 290
Williams syndrome, clinical features of, 1449
Winning and losing, in youth sports, 1029–1031
Wolff-Parkinson-White syndrome, sudden death in, 225
Wrist injury, signs of, 1053

47,X syndromes, and sexual differentiation and development, 1410–1412
Xanthinuria, hypouricemia in, 409–410
Xanthoma, planar, in familial hypercholesterolemia, 1503

Yellow fever, EPI targeting of, 745
vaccine against, for foreign travelers, 765–766
Young adults, sudden death in, **215–231**
Young athlete. See *Adolescent athletes.*

Zollinger-Ellison syndrome, Cushing's syndrome with, 1324